



CG 7-115

Compact angle grinder, Ø 115 mm

Handy 760 W compact angle grinder for light grinding and cutting.

Product number: 7 225 02 60 00 0

Details

- + Perfect ergonomics thanks to lateral slide switch and small grip dimension.
- + Fatigue-free working thanks to low weight.
- Solid metal gearbox head can be turned in 90° steps for maximum robustness and service life
- and very good access to difficult-to-reach spots.
- + Enhanced safety through integrated restart protection.

Price includes

- + 1 safety guard
- + 1 pair of flanges
- + 1 key

Product feature

+ Restart protection

Application

- + 1 safety hood for cutter
- + 1 additional handle



Roughing-down

Deburring

Dividing

Suitable

Well suitable

VIBRATION AND SOUND EMISSION

Technical data

TECHNICAL DATA

		VALUES	
Input	760 W	Sound pressure level LpA Uncertainty of measured value	93,5 dB 3 dB
Output	420 W	KpA	
Speed, no load	12,500 rpm	Sound power level LWA Uncertainty of measured value KWA	101,5 dB 3 dB
Grinding disc Ø	115 mm	Sound peak value	109 dB
Elast. Backing pad Ø	115 mm	LpCpeak Uncertainty of measured value KpCpeak	3 dB
Flange	M 14		
Cable with plug	2.5 m	Vibration value 1 αhv 3- way Uncertainty of measured value	6,5 m/s ² 2,0 m/s ²
Weight according to	1.70 kg	Κα	
ЕРТА		Vibration value 2 αhv 3- way	3,5 m/s²
		Uncertainty of measured value	2,0 m/s²

Κα

Application examples





