

according to 1907/2006/EC, Article 31

Version number 1 Printing date 13.12.2021 Revision: 13.12.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier

ABICLEAN All-in-one - Trade name: EN10-S0VJ-P00J-DSRA - UFI:

- 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- Application of the substance / the mixture Metal-working product

- 1.3 Details of the supplier of the safety data sheet

- Manufacturer/Supplier: ABICOR-BINZEL (UK) Ltd. Mill Lane

Winwick Quay, Warrington WA28UA UK Contact Person: Kevin Chudley Email: kevin.chudley@binzel-abicor.co.uk

Contact Number: 01925 653944 - Further information obtainable from: **Technical Documentation**

- 1.4 Emergency telephone number: Giftinformationszentrum der Länder Rheinland-Pfalz und Hessen

Langenbeckstraße 1; Gebäude 601; 55131 Mainz

Tel. Nr.: +49 (0)6131 / 19 24 0

Universitätsmedizin der Johannes Gutenberg-Universität Mainz

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008

Met. Corr.1 H290 May be corrosive to metals. Acute Tox. 4 H302 Harmful if swallowed.

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

- 2.2 Label elements

- Labelling according to Regulation (EC) No

1272/2008

The product is classified and labelled according to the CLP regulation. - Hazard pictograms



GHS07

- Signal word

- Hazard-determining components of

labelling: - Hazard statements phosphoric acid

Danger

H290 May be corrosive to metals.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

Do not breathe dust/fume/gas/mist/vapours/spray.

- Precautionary statements P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. P310

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- 2.3 Other hazards

- Results of PBT and vPvB assessment

- PBT: Not applicable. Not applicable. - vPvB:

SECTION 3: Composition/information on ingredients

- 3.2 Mixtures

- Description: Mixture: consisting of the following components.

- Dangerous components:

CAS: 7664-38-2 phosphoric acid EINECS: 231-633-2

Index number: 015-011-00-6 Reg.nr.: 01-2119485924-XX

Acute Tox. 3, H301; Met. Corr.1, H290; Skin Corr. 1B, H314 Specific concentration limits: Skin Corr. 1B; H314: C ≥ 25 %

Skin Irrit. 2; H315: 10 % ≤ C < 25 % Eye Irrit. 2; H319: 10 % ≤ C < 25 %

(Contd. on page 2)

50-100%



according to 1907/2006/EC, Article 31

Revision: 13.12.2021 Printing date 13.12.2021 Version number 1

Trade name: ABICLEAN All-in-one

- Additional information: For the wording of the listed hazard phrases refer to section 16. (Contd. of page 1)

SECTION 4: First aid measures

- 4.1 Description of first aid measures

- General information: Immediately remove any clothing soiled by the product.

Do not leave affected persons unattended.

Personal protection for the First Aider.

Take affected persons out of danger area and lay down.

- After inhalation: Seek immediate medical advice.

In case of unconsciousness place patient stably in side position for transportation.

Supply fresh air; consult doctor in case of complaints.

- After skin contact: Immediate medical treatment necessary. Failure to treat burns can prevent wounds from healing.

Immediately wash with water and soap and rinse thoroughly.

Seek medical treatment in case of complaints. - After eye contact: Call a doctor immediately.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

Protect unharmed eye.

If symptoms persist consult doctor.

- 4.2 Most important symptoms and effects,

both acute and delayed

- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

Medical supervision for at least 48 hours.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media

- After swallowing:

- Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Use fire extinguishing methods suitable to surrounding conditions.

- For safety reasons unsuitable extinguishing

Water with full jet

- 5.2 Special hazards arising from the

substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

Nitrogen oxides (NOx) Carbon monoxide (CO)

- 5.3 Advice for firefighters

- Protective equipment: Wear self-contained respiratory protective device.

Wear fully protective suit.

Do not inhale explosion gases or combustion gases.

- Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system.

Cool endangered receptacles with water spray.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective

equipment and emergency procedures Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation Avoid contact with skin and eyes

- 6.2 Environmental precautions: Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water. Prevent from spreading (e.g. by damming-in or oil barriers).

- 6.3 Methods and material for containment

and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralising agent.

Dispose contaminated material as waste according to item 13.

- 6.4 Reference to other sections See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

(Contd. on page 3)

EN-GB



according to 1907/2006/EC, Article 31

Revision: 13.12.2021 Printing date 13.12.2021

Trade name: ABICLEAN All-in-one

(Contd. of page 2)

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling Store in cool, dry place in tightly closed receptacles.

Keep receptacles tightly sealed.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Open and handle receptacle with care.

- Information about fire - and explosion

protection: Keep respiratory protective device available.

- 7.2 Conditions for safe storage, including any incompatibilities

- Storage:

- Requirements to be met by storerooms and

Provide acid-resistant floor. receptacles:

Store only in the original receptacle.

Store in a cool location.

Prevent any seepage into the ground.

- Information about storage in one common

storage facility:

Store away from foodstuffs.

Do not store together with alkalis (caustic solutions).

- Further information about storage

conditions:

Store in a cool place. Heat will increase pressure and may lead to the receptacle bursting.

Keep container tightly sealed.

Recommended storage temperature: 5-30 °C

- Storage class:

- 7.3 Specific end use(s) No further relevant information available.

8 B

SECTION 8: Exposure controls/personal protection

- 8.1 Control parameters

- Ingredients with limit values that require monitoring at the workplace:

7664-38-2 phosphoric acid

WEL Short-term value: 2 mg/m³ Long-term value: 1 mg/m³

- Regulatory information WEL: EH40/2020

- Additional information: The lists valid during the making were used as basis.

- 8.2 Exposure controls

- Appropriate engineering controls No further data; see item 7. - Individual protection measures, such as personal protective equipment

- General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- Respiratory protection: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer

exposure use self-contained respiratory protective device.

Not necessary if room is well-ventilated.

Use suitable respiratory protective device in case of insufficient ventilation. Use suitable respiratory protective device, when using spray application.

Filter B

- Hand protection



Protective gloves

Only use chemical-protective gloves with CE-labelling of category III. Check protective gloves prior to each use for their proper condition.

The glove material has to be impermeable and resistant to the product/ the substance/ the

preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

After use of gloves apply skin-cleaning agents and skin cosmetics.

Nitrile rubber, NBR - Material of gloves

Penetration time (min.): < 480

Recommended thickness of the material: ≥ 0.5 mm

The determined penetration times according to EN 16523-1:2015 are not performed under practical - Penetration time of glove material

conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is

recommended.

(Contd. on page 4)

(Contd. of page 3)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 13.12.2021 Version number 1 Revision: 13.12.2021

Trade name: ABICLEAN All-in-one

- Eye/face protection

- Oxidising liquids

- Oxidising solids

Organic peroxides
 Corrosive to metals

Tightly sealed goggles

Protective goggles and facial protection - Classification according to EN 166 - **Body protection:** protective clothing (EN 13034)

Acid resistant protective clothing

SECTION 9: Physical and chemical properties - 9.1 Information on basic physical and chemical properties - General Information - Physical state Fluid - Colour: Colourless - Odour: Odourless - Odour threshold: Not determined. - Melting point/freezing point: -18 °C - Boiling point or initial boiling point and boiling range 135 °C - Flammability Not applicable. - Lower and upper explosion limit Not determined. - Lower: - Upper: Not determined. - Flash point: Not applicable. - Auto-ignition temperature: Product is not selfigniting. - Decomposition temperature: Not determined. - pH at 20 °C - Viscosity: - Kinematic viscosity Not determined. - Dynamic: Not determined. - Solubility - water: Fully miscible. - Partition coefficient n-octanol/water (log value) Not determined. - Density and/or relative density - Density at 20 °C: 1.58 g/cm³ - Relative density Not determined. - Vapour density Not determined. - 9.2 Other information - Appearance: - Form: Fluid - Important information on protection of health and environment, and on - Explosive properties: Product does not present an explosion hazard. - Change in condition Not determined. - Evaporation rate - Information with regard to physical hazard classes - Explosives Void - Flammable gases Void - Aerosols Void - Oxidising gases Void - Gases under pressure Void - Flammable liquids Void - Flammable solids Void - Self-reactive substances and mixtures Void - Pyrophoric liquids Void - Pyrophoric solids Void - Self-heating substances and mixtures Void - Substances and mixtures, which emit flammable gases in contact with Void

Void

Void

May be corrosive to metals.

(Contd. on page 5)

EN-GE



according to 1907/2006/EC, Article 31

Version number 1 Printing date 13.12.2021 Revision: 13.12.2021

Trade name: ABICLEAN All-in-one

(Contd. of page 4)

- Desensitised explosives

Void

SECTION 10: Stability and reactivity

- 10.1 Reactivity

No further relevant information available.

- 10.2 Chemical stability

- Thermal decomposition / conditions to be

avoided:

- 10.3 Possibility of hazardous reactions

No decomposition if used according to specifications. Forms hydrogen in aqueous solution with metals. Exothermic reaction with: Lye

When diluting, always add acid to water, never vice versa. No further relevant information available.

Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

- 10.4 Conditions to avoid - 10.5 Incompatible materials:

No further relevant information available.

- 10.6 Hazardous decomposition products:

Hydrogen Phosphorus oxides (e.g. P2O5)

SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

- Acute toxicity Harmful if swallowed

- LD/LC50 values relevant for classification:

7664-38-2 phosphoric acid

Oral LD50 200 mg/kg (rat) Dermal LD50 >2,000 mg/kg (rabbit)

- Skin corrosion/irritation

Causes severe skin burns and eye damage. - Serious eye damage/irritation Causes serious eye damage.

- Respiratory or skin sensitisation

- Germ cell mutagenicity

 Carcinogenicity - Reproductive toxicity

- STOT-single exposure

- STOT-repeated exposure - Aspiration hazard

- 11.2 Information on other hazards

- Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- 12.1 Toxicity

- Aquatic toxicity:

7664-38-2 phosphoric acid

ErC50 > 100 mg/l (DESMODESMUS SUBSPICATUS) (72h; OECD 201)

EC50 >100 mg/l (Daphnia magna) (48h, OECD 202)

- 12.2 Persistence and degradability

Anorganic product, is not eliminable from water by means of biological cleaning processes.

- 12.3 Bioaccumulative potential

No further relevant information available.

- 12.4 Mobility in soil

- vPvB:

No further relevant information available.

- 12.5 Results of PBT and vPvB assessment

- PBT:

Not applicable. Not applicable.

- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- 12.7 Other adverse effects

- Additional ecological information:

Must not reach sewage water or drainage ditch undiluted or unneutralised.

- General notes: Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-

dangerous

(Contd. on page 6)



according to 1907/2006/EC, Article 31

Printing date 13.12.2021 Version number 1 Revision: 13.12.2021

Trade name: ABICLEAN All-in-one

(Contd. of page 5)

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods

- Recommendation Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Disposal according to official regulations

- European waste catalogue

06 01 04* phosphoric and phosphorous acid

15 01 02 plastic packaging

Uncleaned packaging:

- ADR, IMDG, IATA

- Recommendation: Disposal must be made according to official regulations.

- Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

- 14.1 UN number or ID number

UN1805

- 14.2 UN proper shipping name

- ADR 1805 PHOSPHORIC ACID, SOLUTION - IMDG, IATA PHOSPHORIC ACID, SOLUTION

- 14.3 Transport hazard class(es)

- ADR



- Class 8 (C1) Corrosive substances.

- Label

- IMDG, IATA



- Class 8 Corrosive substances.

- Label

- 14.4 Packing group

- ADR, IMDG, IATA

- 14.5 Environmental hazards: Not applicable.

- 14.6 Special precautions for user Warning: Corrosive substances. - Hazard identification number (Kemler code): 80

- EMS Number: F-A,S-B

- Segregation groups Acids - Stowage Category

SG36 Stow "separated from" SGG18-alkalis. - Segregation Code SG49 Stow "separated from" SGG6-cyanides

- 14.7 Maritime transport in bulk according to IMO instruments Not applicable.

- Transport/Additional information:

- ADR

- Limited quantities (LQ)

- Excepted quantities (EQ)

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

- Transport category

- Tunnel restriction code Ε

- IMDG

- Limited quantities (LQ) 5L

(Contd. on page 7)



according to 1907/2006/EC, Article 31

Printing date 13.12.2021 Revision: 13.12.2021

Trade name: ABICLEAN All-in-one

		(Contd. of page 6)
- Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml	
- UN "Model Regulation":	UN 1805 PHOSPHORIC ACID, SOLUTION, 8, III	

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Directive 2012/18/EU
- Named dangerous substances ANNEX I None of the ingredients is listed.
- REGULATION (EC) No 1907/2006 ANNEX
- Conditions of restriction: 3
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

- REGULATION (EU) 2019/1148
- Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

- Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed

- Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed

- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

The safety data sheet issued is also compliant with the regulation Annex I of Regulation (EU) no. 453/2010 and Annex II of Regulation (EU) no. 2020/878.

- Relevant phrases

H290 May be corrosive to metals.

H301 Toxic if swallowed.

H314 Causes severe skin burns and eye damage.

- Department issuing SDS:

Technical Documentation

- Contact:

Technical Documentation

- Date of previous version:

29.11.2021 ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International

- Abbreviations and acronyms:

Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Met. Corr.1: Corrosive to metals – Category 1 Acute Tox. 3: Acute toxicity – Category 3

Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1B: Skin corrosion/irritation – Category 1B Eye Dam. 1: Serious eye damage/eye irritation - Category 1

 Sources www.echa.europa.eu

- www.baua.de

IFA: Institute für Occupational Safety and Health of the German Social Accident Insurance:

- www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index.jsp
- www.dguv.de/ifa/gestis/gestis-dnel-liste

- * Data compared to the previous version altered.

EN-GB