

MTG 250d /F/3.5m/45°


4,035,921,000

MTG 250d / F/3.5m/45° (4,035,921,000)



MTG / MHP G ML

TAB. A


43,0004,4439	3,18m	MTG 250d
43,0004,4440	4,18m	
43,0004,5248	3,18m	MTG 320d
43,0004,5247	4,18m	
43,0004,4437	3,18m	MTG 400d / MHP 400d
43,0004,4438	4,18m	
43,0004,5246	3,18m	MTG 500d
43,0004,5245	4,18m	




TYPE STANDARD




TYPE UP/DOWN




TYPE JOBMASTER



MTG 250d /F/3.5m/45° (4,035,921,000)




MTG 250i



TAB. 1 CuCrZr		Ø mm	Ø inch	Part No.
		0,6	0,023	42,0001,4928
		0,7	0,027	42,0001,6524,10
		0,8	0,030	42,0001,4461,10
		0,9	0,035	42,0001,4462,10
		1,0	0,040	42,0001,4463,10
		1,1	0,043	42,0001,6527,10
		1,2	0,045	42,0001,4464,10
		1,3	0,051	42,0001,6529,10
		1,4	0,052	42,0001,4465,10
		1,5	0,059	42,0001,6522,10
		1,6	0,062	42,0001,4466,10
		0,7	0,027	42,0001,6482,10
		0,8	0,030	42,0001,6464,10
		0,9	0,035	42,0001,6465,10
		1,0	0,040	42,0001,6466,10
		1,1	0,043	42,0001,6483,10
		1,2	0,045	42,0001,6467,10
		1,3	0,051	42,0001,6484,10
		1,4	0,052	42,0001,6468,10
		1,5	0,059	42,0001,6485,10
		1,6	0,062	42,0001,6469,10
		1,8	0,071	42,0001,6470,10
		2,0	0,078	42,0001,6471,10
Al 		0,8	0,030	42,0001,6525,10
		1,0	0,040	42,0001,6526,10
		1,2	0,045	42,0001,6528,10
		1,6	0,062	42,0001,6523,10
Al 		0,8	0,030	42,0001,6537,10
		1,0	0,040	42,0001,4750,10
		1,2	0,045	42,0001,4751,10
		1,6	0,062	42,0001,4752,10

TAB. 1 E-Cu		Ø mm	Ø inch	Part No.
		0,9	0,035	42,0001,7025,10
		1,0	0,040	42,0001,7026,10
		1,2	0,045	42,0001,7027,10
		0,9	0,035	42,0001,7028,10
		1,0	0,040	42,0001,7029,10
		1,2	0,045	42,0001,7030,10


MTG 250d /F/3.5m/45° (4,035,921,000)

TAB. 2														
		d1		d2		d3		L		Part No.				
		mm	inch	mm	inch	mm	inch	mm	inch					
MTW 250i	MTG 250i	M20x2		8	0.31	22	0.86	10,4	0.41	58	2.28	42,0001,6664		standard MTW 250i Bronze
		10	0.39	22	0.86	13,0	0.51	54	2.13	42,0001,4083				
		13	0.51	22	0.86	16,1	0.63	54	2.13	42,0001,4799				
		13	0.51	22	0.86	16,1	0.63	56	2.20	42,0001,4477		standard MTB 250i G/W R		
		10	0.39	22	0.86	13,0	0.51	58	2.28	42,0001,4084				
		13	0.51	22	0.86	16,1	0.63	56	2.20	42,0001,4498	AI			
		13	0.51	22	0.86	16,1	0.63	58	2.28	42,0001,4065		standard MTG/MTW 250i		
		15	0.59	22	0.86	18,3	0.72	58	2.28	42,0001,4493				
MTB W 250i R	MTB G 250i R	18	0.71	22	0.86	22	0.87	58	2.28	42,0001,4055				
		13	0.51	25	0.98	16,4	0.64	59	2.32	42,0001,4085				
		15	0.59	25	0.98	18,6	0.73	59	2.32	42,0001,4048				
		13	0.51	25	0.98	16,4	0.64	61	2.40	42,0001,4086		standard MTB 320i G R		
		15	0.59	25	0.98	18,1	0.71	61	2.40	42,0001,4474		standard MTB 400i W R		
		15	0.59	27	1.06	20,2	0.80	61	2.40	42,0001,4789		MTB 400i W R, heavy duty		
		17	0.71	25	0.98	20,8	0.82	61	2.40	42,0001,4476		standard MTB 500i W R		
		13	0.51	25	0.98	16,4	0.64	61	2.40	42,0001,4497	AI			
MTW 400i/500i	MTG 320i/400i	13	0.51	25	0.98	16,4	0.64	63	2.48	42,0001,4080		standard MTG 320i		
		15	0.59	25	0.98	18,6	0.73	61	2.40	42,0001,4496	AI			
		15	0.59	25	0.98	18,6	0.73	63	2.48	42,0001,4051		standard MTW 400i		
		17	0.71	25	0.98	20,8	0.82	61	2.40	42,0001,4494	AI			
		17	0.71	25	0.98	20,8	0.82	63	2.48	42,0001,4050		standard MTW500i,330i W R long		
		17	0.71	27	1.06	20,8	0.82	63	2.48	42,0001,4216		MTW 500i, heavy duty		
		21	0.82	25	0.98	25,0	0.98	63	2.48	42,0001,4054				
		15	0.59	25	0.98	18,6	0.73	68	2.68	42,0001,4052				
		17	0.71	25	0.98	20,8	0.82	68	2.68	42,0001,4049				
		13	0.51	25	0.98	16,4	0.64	71	2.80	42,0001,4087				
		15	0.59	25	0.98	18,6	0.73	71	2.80	42,0001,4788				
		13	0.51	25	0.98	16,4	0.64	73	2.87	42,0001,4088				
		15	0.59	25	0.98	18,6	0.73	73	2.87	42,0001,4475		standard MTB 400i G R		
		15	0.59	27	1.06	18,6	0.73	73	2.87	42,0001,4790		MTB 400i G R, heavy duty		
		15	0.59	25	0.98	18,6	0.73	73	2.87	42,0001,4495	AI			
		15	0.59	25	0.98	18,6	0.73	75	2.95	42,0001,4045		standard MTG 400i		
		17	0.71	25	0.98	20,8	0.82	75	2.95	42,0001,4043				
		21	0.82	25	0.98	25,0	0.98	75	2.95	42,0001,4053				
		15	0.59	25	0.98	18,6	0.73	80	3.15	42,0001,4047				

TAB. 6

Technical drawing of a tapered roller bearing. The diagram shows a side view of the bearing with the following dimensions labeled: d1 (inner diameter), d2 (outer diameter), d3 (pitch diameter), and L (length). The bearing is shown with a cross-section of the rollers.

		d1		d2		d3		L		Part No.		
		mm	inch	mm	inch	mm	inch	mm	inch			
MTB G 330i R	MTB W 330i R	M23x2										
		13	0.51	ø25	0.98	16	0.63	37	1.46	42,0001,4533		not possible at MTB 330i G R H
		13	0.51	ø25	0.98	16	0.63	41	1.61	42,0001,4487		standard MTB 330i W R / G ML
		13	0.51	ø25	0.98	16	0.63	39,5	1.61	42,0001,4534	AI	
		13	0.51	ø25	0.98	16	0.63	39,5	1.56	42,0001,4902		standard MTB 330i G R G R H
		15	0.59	ø25	0.98	18	0.72	39,5	1.56	42,0001,5023		

TAB. 7												
												
		d1		d2		d3		L		Part No.		
		mm	inch	mm	inch	mm	inch	mm	inch			
MTB W 330i W R H M23x2		13	0.51	ø25	0.98	16	0.63	41	1.61	42.0001.4486		standard MTB 330i W R H

TAB. 8 narrow gap													
		d1		d2		d3		L		Part No.			
		mm	inch	mm	inch	mm	inch	mm	inch				
MTB W 330i R	M23x2	13	0.51	ø25	0.98	16	0.63	56	2.21	42,0001,4745			
MTB G 330i R		13	0.51	ø25	0.98	16	0.63	50	1.97	42,0001,6772			

TAB. 9 												
		d1		d2		d3		L		Part No.		
		mm	inch	mm	inch	mm	inch	mm	inch			
MTB G 330i R long	M23x2	13	0.51	ø27	1.06	18	0.72	53	2.09	42,0001,4858		standard MTB 330i G R
		15	0.59	ø27	1.06	18	0.72	53	2.09	42,0001,4857		
		15	0.59	ø27	1.06	18	0.72	57	2.09	42,0001,4856		

TAB. 10											
											
		d1		d2		d3		L		Part No.	
MTG 550i	M25x3	mm	inch	mm	inch	mm	inch	mm	inch		
		15	0.59	ø27	1.06	19	0.75	67	2.64	44,0350,2020	
		17	0.67	ø27	1.06	21	0.83	67	2.64	44,0350,2021	
		15	0.59	ø27	1.06	19	0.75	74	2.91	44,0350,1991	
		17	0.67	ø27	1.06	21	0.83	74	3.91	44,0350,1995	
		15	0.59	ø27	1.06	19	0.75	80,5	3.17	44,0350,1987	
		15	0.59	ø27	1.06	19	0.75	82,5	3.25	44,0350,1988	
		17	0.67	ø27	1.06	21	0.83	83,5	3.29	44,0350,3179	
		18	0.71	ø27	1.06	22	0.89	87,5	3.44	44,0350,3180	standard MTG 550i


TAB. 11

The diagram shows a side view of a tapered shaft. It has a central section with a diameter of d1 and a length of L. The shaft tapers from d1 to a larger diameter d2 at one end and a smaller diameter d3 at the other. The diameter d3 is indicated at the very end of the shaft, while d2 is indicated at the wider end. The length L is the distance between the centerlines of the d1 and d2 sections.

		d1		d2		d3		L		Part No.		
		mm	inch	mm	inch	mm	inch	mm	inch			
MTB 400/500i W R MTB 320/400i G R	M23x2	13	0.51	ø25	0.98	16	0.63	62,5	2.46	42,0001,4917		standard MTB 320i G / 400/500i W
		10	0.39	ø25	0.98	16	0.63	68,0	2.68	42,0001,6715		
		13	0.51	ø25	0.98	16	0.63	68,0	2.68	42,0001,6716		
		13	0.51	ø25	0.98	16	0.63	74,5	2.93	42,0001,4918		standard MTB 400i G

TAB. 15											
		d1		d2		d3		L		Part No.	
		mm	inch	mm	inch	mm	inch	mm	inch		
MTW 500i	plug	17	0.66	ø27	1.06	22,2	0.87	85	3.34	44,0350,2036	standard MTB 500i W

Tab. 3




material			d1		d2		Part No. L		Part No. L		Part No. L	
	Ø mm	Ø inch	mm	inch	mm	inch	5m 16.4feet	15m 49.2feet	50m 160feet			
Steel liner	0,8	.030	1,4	.055	4,4	.176	40,0002,0040,005	40,0002,0040,015	40,0002,0040,050			
Steel liner	0,9-1,0	.035/.040	1,6	.062	4,8	.189	40,0002,0041,005	40,0002,0041,015	40,0002,0041,050			
Steel liner	1,2	.045	1,9	.074	4,9	.192	40,0002,0042,005	40,0002,0042,015	40,0002,0042,050			
Steel liner	1,4-1,6	.052/.062	2,5	.098	4,9	.192	40,0002,0043,005	40,0002,0043,015	40,0002,0043,050			
CrNi liner	0,8	.030	1,4	.055	4,4	.176	40,0002,0044,005	40,0002,0044,015	40,0002,0044,050			
CrNi liner	0,9-1,0	.035/.040	1,6	.062	4,8	.189	40,0002,0045,005	40,0002,0045,015	40,0002,0045,050			
CrNi liner	1,2	.045	1,9	.074	4,9	.192	40,0002,0046,005	40,0002,0046,015	40,0002,0046,050			
CrNi liner	1,4-1,6	.052/.062	2,5	.098	4,9	.192	40,0002,0047,005	40,0002,0047,015	40,0002,0047,050			
Steel liner coated	0,8	.030	1,4	.055	4,4	.176	40,0002,0052,005	40,0002,0052,015	40,0002,0052,050			
Steel liner coated	0,9-1,0	.035/.040	1,6	.062	4,8	.189	40,0002,0053,005	40,0002,0053,015	40,0002,0053,050			
Steel liner coated	1,2	.045	1,9	.074	4,9	.192	40,0002,0054,005	40,0002,0054,015	40,0002,0054,050			
Steel liner coated	1,4-1,6	.052/.062	2,5	.098	4,9	.192	40,0002,0055,005	40,0002,0055,015	40,0002,0055,050			

Tab. 3

combi liner W AL

combi liner G AL

combi inner liner G





		L		d1		d2		combi liner W AL	combi liner G AL	combi inner liner G
Ø mm	Ø inch	m	feet	mm	inch	mm	inch	Part No.	Part No.	Part No.
0,8	.030	2,0	6.5	1,2	.059	4,7	.185	44,0350,3388	44,0350,3400	44,0350,5550
0,8	.030	3,8	12.4	1,2	.059	4,7	.185	44,0350,3392	44,0350,3404	44,0350,5513
0,8	.030	4,8	15.7	1,2	.059	4,7	.185	44,0350,3396	44,0350,3408	44,0350,5518
0,9-1,0	.035/.040	2,0	6.5	1,5	.062	4,7	.185	44,0350,3389	44,0350,3401	44,0350,5551
0,9-1,0	.035/.040	3,8	12.4	1,5	.062	4,7	.185	44,0350,3393	44,0350,3405	44,0350,5514
0,9-1,0	.035/.040	4,8	15.7	1,5	.062	4,7	.185	44,0350,3397	44,0350,3409	44,0350,5519
1,2	.045	2,0	6.5	1,8	0.74	4,7	.185	44,0350,3390	44,0350,3402	44,0350,5552
1,2	.045	3,8	12.4	1,8	0.74	4,7	.185	44,0350,3394	44,0350,3406	44,0350,5515
1,2	.045	4,8	15.7	1,8	0.74	4,7	.185	44,0350,3398	44,0350,3410	44,0350,5520
1,4-1,6	.052/.062	2,0	6.5	2,4	.098	4,7	.185	44,0350,3391	44,0350,3403	44,0350,5553
1,4-1,6	.052/.062	3,8	12.4	2,4	.098	4,7	.185	44,0350,3395	44,0350,3407	44,0350,5516
1,4-1,6	.052/.062	4,8	15.7	2,4	.098	4,7	.185	44,0350,3399	44,0350,3411	44,0350,5521
2,0	.045	2,0	6.5	1,2	.059	4,7	.185	44,0350,3615	44,0350,3618	44,0350,5554
2,0	.045	3,8	12.4	3,0	.118	4,7	.185	44,0350,3616	44,0350,3619	44,0350,5517
2,0	.045	4,8	15.7	3,0	.118	4,7	.185	44,0350,3617	44,0350,3620	44,0350,5522


Tab. 3.1


material			d1		d2		Part No. L	Part No. L	Part No. L
	Ø mm	Ø inch	mm	inch	mm	inch	10m 32.8feet	30m 98feet	100m 328feet
Graphit	0,8	.030	1,2	.047	4,7	.185	40,0001,0529,010	40,0001,0529,030	40,0001,0529,100
Graphit	0,9 - 1,0	.035-.040	1,5	.059	4,7	.185	40,0001,0530,010	40,0001,0530,030	40,0001,0530,100
Graphit	1,2	.045	1,8	.070	4,7	.185	40,0001,0531,010	40,0001,0531,030	40,0001,0531,100
Graphit	1,4 - 1,6	.052-1/16	2,4	.094	4,7	.185	40,0001,0532,010	40,0001,0532,030	40,0001,0532,100
Graphit	0,8	5/64	3,0	.118	4,7	.185	40,0001,0533,010	40,0001,0533,030	40,0001,0533,100



Tab. 7

Fe / CrNi


		Fe		Part No.			Fe		Part No.
		Ø mm	Ø inch				Ø mm	Ø inch	
		0,8	.030	42,0001,5833			0,8	.030	44,0350,3769
		1,0	.040	42,0001,4512			1,0	.040	44,0350,3770
		1,2	.045	42,0001,4512			1,2	.045	44,0350,3771
		1,6	1/16	42,0001,3583			1,6	1/16	44,0350,3772

Euro		Fe		Part No.	colour
		Ø mm	Ø inch		
		0,8	.030	44,0350,3703	grey
		1,0	.040	44,0350,3704	blue
		1,2	.045	44,0350,3705	red
		1,6	1/16	44,0350,3706	black

Al



		Al		Part No.			Al		Part No.
		Ø mm	Ø inch				Ø mm	Ø inch	
		0,8	.030	42,0001,3583			0,8	.030	42,0100,1120 -white
		1,0	.040	42,0001,3583			0,9	.035	42,0100,1119 -blue
		1,2	.045	42,0001,3583			1,0	.040	
		1,6	1/16	42,0001,3583			1,2	.045	42,0100,1003 -red
							1,6	1/16	42,0100,1008 -black

Euro





MTG 250d / F/3.5m/45° (4,035,921,000)

Basic kit 250i / 320i / 400i / 500i / 700i	Ø mm	Ø inch	m	feet	Fe MTG / MTW Part No.	CrNi MTG / MTW Part No.	Alu MTW Part No.	CuSi MTW Part No.	Alu/CuSi MTG Part No.
	0,8	.030	5,0	11,5	44,0350,5117*	44,0350,5158*	44,0350,5135*		44,0350,5144*
	0,9	.035	5,0	14,8	44,0350,5118*	44,0350,5159*	44,0350,5136*		44,0350,5145*
	1,0	.040	5,0	11,5	44,0350,5119*	44,0350,5160*	44,0350,5137*		44,0350,5146*
	1,2	.047	5,0	14,8	44,0350,5120*	44,0350,5161*	44,0350,5138*		44,0350,5147*
	1,4	.052	5,0	11,5	44,0350,5121*	44,0350,5162*	44,0350,5139*		44,0350,5148*
	1,6	.062	5,0	14,8	44,0350,5122*	44,0350,5163*	44,0350,5140*		44,0350,5149*

*		
F++ Part No. + ,000 44,0350,xxxx,000 	E Part No. + ,001 44,0350,xxxx,001 	FSC Part No. 44,0350,xxxx 

TOOLS



MTG 250d /F/3.5m/45° (4,035,921,000)

Article no.	Description	Quantity	Unit
42,0407,0100	CABLE FIXING 150	1	pc
42,0402,0258	O-ring 4x1.2mm FKM	1	pc
42,0405,0561	Union nut M33x2	1	pc
42,0405,0560	Union nut M40x1.5	1	pc
42,0100,0552	Spatter guard Ø9.2/Ø17.2x17	1	pc
42,0001,3988	Nozzle fitting M6/SW9x31 CU	1	pc
42,0001,4065	Gas nozzle ø13/ø22x58 CT	1	pc
42,0100,0531	Spatter guard Ø9.2/Ø17.2x17	1	pc
42,0100,1428	Ins. ring ø17.5/ø10.15x7mm	1	pc
42,0100,0529	Insul. ring D17.5/D10.15x7mm	1	pc
44,0350,3865	Ins. sleeve ø12.2/ø17.7x17.5	1	pc
42,0001,4608	Nozzle fit.M6/SW9x31/Ø13.5 MS	1	pc
42,0100,0622	Insul. sleeve ø17.2/ø12.3x18.5	1	pc
42,0001,4928	Contact tip 0.6/M6/8x24mm	1	pc
42,0001,6524,10	Contact tip 0,7 / M6 / 8x24mm	1	pk
42,0001,4461,10	Contact tip 0,8/M6/ø8x24 10 pc	1	pk
42,0001,4462,10	Contact tip 0,9/M6/ø8x24 10pcs	1	pk
42,0001,4463,10	Contact tip 1,0/M6/ø8x24 10pcs	1	pk
42,0001,6527,10	Contact tip 1,1 / M6 / Ø8x24mm	1	pk
42,0001,4464,10	Contact tip 1,2/M6/ø8x24 10pcs	1	pk
42,0001,6529,10	Contact tip 1,3 / M6 / Ø8x24mm	1	pk
42,0001,4465,10	Contact tip 1,4/M6/ø8x24 10pcs	1	pk
42,0001,6522,10	Contact tip 1,5 / M6 / 8x24mm	1	pk
42,0001,4466,10	Contact tip 1,6/M6/ø8x24 10pcs	1	pk
42,0001,6482,10	Contact tip 0,7/M8x1,5/Ø10x32	1	pk
42,0001,6464,10	Contact tip 0,8/M8x1,5/ø10x32	1	pk
42,0001,6465,10	Contact tip 0,9/M8x1,5/ø10x32	1	pk
42,0001,6466,10	Contact tip 1,0/M8x1,5/ø10x32	1	pk
42,0001,6483,10	Contact tip 1,1/M8x1,5/Ø10x32	1	pk
42,0001,6467,10	Contact tip 1,2/M8x1,5/ø10x32	1	pk
42,0001,6484,10	Contact tip 1,3/M8x1,5/Ø10x32	1	pk
42,0001,6468,10	Contact tip 1,4/M8x1,5/ø10x32	1	pk
42,0001,6485,10	Contact tip 1,5/M8x1,5/ø10x32	1	pk
42,0001,6469,10	Contact tip 1,6/M8x1,5/ø10x32	1	pk

MTG 250d /F/3.5m/45° (4,035,921,000)

Article no.	Description	Quantity	Unit
42,0001,6470,10	Contact tip 1,8/M8x1,5/ø10x32	1	pk
42,0001,6471,10	Contact tip 2,0/M8x1,5/ø10x32	1	pk
42,0001,6472,10	Contact tip 2,4/M8x1,5/ø10x32	1	pk
42,0001,4642,10	Contact tip 2.8/M8x1.5/ø10x32	1	pk
42,0001,6537,10	Cont. tip 0.8/M8x1.5/Ø10x32 Al	1	pk
42,0001,4750,10	Cont. tip 1.0/M8x1.5/ø10x32 Al	1	pk
42,0001,4751,10	Cont. tip 1.2/M8x1.5/ø10x32 Al	1	pk
42,0001,4752,10	Cont. tip 1.6/M8x1.5/ø10x32 Al	1	pk
42,0001,6525,10	Contact tip 0,8 / M6 / Ø8x24mm	1	pk
42,0001,6526,10	Contact tip 1,0 / M6 / Ø8x24mm	1	pk
42,0001,6528,10	Contact tip 1,2 / M6 / Ø8x24mm	1	pk
42,0001,6523,10	Contact tip 1,6/M6/ø8x24 Al	1	pk
42,0001,7025,10	Contact tip 0.9/M6/ø8x24/SQ	1	pk
42,0001,7026,10	Contact tip 1.0/M6/ø8x24/SQ	1	pk
42,0001,7027,10	Contact tip 1.2/M6/ø8x24/SQ	1	pk
42,0001,7028,10	Cont. tip 0.9/M8x1.5/ø10x32/SQ	1	pk
42,0001,7029,10	Cont. tip 1.0/M8x1.5/ø10x32/SQ	1	pk
42,0001,7030,10	Cont. tip 1.2/M8x1.5/ø10x32/SQ	1	pk
44,0350,3935	Gas nozzle Ø15/Ø25x61 CT/H	1	pc
44,0350,3936	Gas nozzle ø17/ø25x61 CT/H	1	pc
42,0001,6664	Gas nozzle ø8/ø22x57 CT	1	pc
42,0001,4083	Gas nozzle ø10/ø22x54 CT	1	pc
42,0001,4799	Gas nozzle ø13/ø22x54 CT	1	pc
42,0001,4477	Gas nozzle ø13/ø22x56 CT	1	pc
42,0001,4084	Gas nozzle ø10/ø22x58 CT	1	pc
42,0001,4498	Gas nozzle ø13/ø22x56 CT/C	1	pc
42,0001,4493	Gas nozzle ø15/ø22x58 CT	1	pc
42,0001,4055	Gas nozzle cyl ø18/ø22x58 CT	1	pc
42,0001,4085	Gas nozzle ø13/ø25x59 CT	1	pc
42,0001,4048	Gas nozzle ø15/ø25x59 CT	1	pc
42,0001,4086	Gas nozzle ø13/ø25x61.5 CT	1	pc
42,0001,4474	Gas nozzle ø15/ø25x61 CT	1	pc
42,0001,4789	Gas nozzle ø15/ø27x61 CT HD	1	pc
42,0001,4476	Gas nozzle Ø17 / Ø25x61 CT	1	pc

MTG 250d /F/3.5m/45° (4,035,921,000)

Article no.	Description	Quantity	Unit
42,0001,4497	Gas nozzle ø13/ø25x61 CT/C	1	pc
42,0001,4080	Gas nozzle ø13/ø25x63 CT	1	pc
42,0001,4496	Gas nozzle ø15/ø25x61 CT/C	1	pc
42,0001,4051	Gas nozzle ø15/ø25x63 CT	1	pc
42,0001,4494	Gas nozzle ø17/ø25x61 CT/C	1	pc
42,0001,4050	Gas nozzle ø17/ø25x63 CT	1	pc
42,0001,4216	Gas nozzle Ø17/Ø27x63 CT HD	1	pc
42,0001,4054	Gas nozzle cyl ø21.1/ø25x63 CT	1	pc
42,0001,4052	Gas nozzle ø15/ø25x68 CT	1	pc
42,0001,4049	Gas nozzle ø17/ø25x68 CT	1	pc
42,0001,4087	Gas nozzle ø13/ø25x71 CT	1	pc
42,0001,4788	Gas nozzle ø15/ø25x71 CT	1	pc
42,0001,4088	Gas nozzle ø13/ø25x73 CT	1	pc
42,0001,4475	Gas nozzle ø15/ø25x73 CT	1	pc
42,0001,4790	Gas nozzle ø15/ø27x73 CT HD	1	pc
42,0001,4495	Gas nozzle ø15/ø25x73 CT/C	1	pc
42,0001,4045	Gas nozzle ø15/ø25x75 CT	1	pc
42,0001,4043	Gas nozzle ø17/ø25x75 CT	1	pc
42,0001,4053	Gas nozzle cyl ø21.1/ø25x75 CT	1	pc
42,0001,4047	Gas nozzle ø15/ø25x80 CT	1	pc
42,0402,0304	Sealing ring lø25x1,5 FKM	1	pc
42,0402,0305	Sealing ring lø21x1.5 FKM	1	pc
44,0350,3966	Gas nozzle W 700i ø17/ø29.5x71	1	pc
42,0001,4257	Gas noz. mouthpiece Ø17/Ø29x29	1	pc
44,0350,3942	Gas noz.W 700i ø17/ø29.5x76 HD	1	pc
42,0001,4670	Gas noz. mouthp. ø17/29x34 HD	1	pc
44,0350,4079	Gas noz. W 700i Ø17/Ø29.5x68.5	1	pc
42,0001,4868	Gas noz. mouthpc. Ø17/Ø29x26.5	1	pc
44,0350,0226	Gas nozz. W 700iø13.2/ø29.5x69	1	pc
42,0001,0142	Gas nozzle mouthpiece ø13/ø29x	1	pc
42,0001,4533	Gas nozzle ø13/ø24x37 CT	1	pc
42,0001,4487	Gas nozzle ø13/ø25x41 CT	1	pc
42,0001,4534	Gas nozzle ø13/ø25x39,5 CT/C	1	pc
42,0001,4902	Gas nozzle ø13/ø25x39.5 CT	1	pc

MTG 250d /F/3.5m/45° (4,035,921,000)

Article no.	Description	Quantity	Unit
42,0001,5023	Gas nozzle ø15/ø25x39.5 CT	1	pc
42,0001,4486	Gas nozzle ø13/ø25x41 CT/H	1	pc
42,0001,4745	Gas noz.narrow gap ø13/ø25x56	1	pc
42,0001,6772	Gas noz. nrw gap ø13/ø25x50 CT	1	pc
42,0001,4858	Gas nozzle ø13/ø27x53 CT	1	pc
42,0001,4857	Gas nozzle ø15/ø27x53 CT	1	pc
42,0001,4856	Gas nozzle ø15/ø27x57 CT	1	pc
44,0350,2020	Gas nozzle ø15/ø27x67 CT	1	pc
44,0350,2021	Gas nozzle ø17/ø27x67 CT	1	pc
44,0350,1991	Gas nozzle ø15/ø27x74 CT	1	pc
44,0350,1995	Gas nozzle ø17/ø27x74 CT	1	pc
44,0350,1987	Gas nozzle ø15/ø27x80.5 CT	1	pc
44,0350,1988	Gas nozzle ø15/ø27x82.5 CT	1	pc
44,0350,3179	Gas nozzle ø17/ø27x83.5 CT	1	pc
44,0350,3180	Gas nozzle ø18/ø27x87.5 CT	1	pc
42,0001,4917	Gas noz. narrow Ø13/Ø25x62.5	1	pc
42,0001,6715	Gas nz. nar. gap Ø10/Ø25x68 CT	1	pc
42,0001,6716	Gas nz. nar. gap Ø13/Ø25x68 CT	1	pc
42,0001,4918	Gas noz. narrow Ø13/Ø25x74.5	1	pc
44,0350,2036	Gas nozzle ø17/ø27x85	1	pc
44,0350,3410	Combi liner G Al /1.2/4.8m	1	pc
44,0350,3403	Combi liner G Al /1.6/2.0m	1	pc
44,0350,3407	Combi liner G Al /1.6/3.8m	1	pc
44,0350,3411	Combi liner G Al /1.6/4.8m	1	pc
44,0350,3405	Combi liner G Al /1.0/3.8m	1	pc
44,0350,3409	Combi liner G Al /1.0/4.8m	1	pc
44,0350,3402	Combi liner G Al /1.2/2.0m	1	pc
44,0350,3406	Combi liner G Al 1.2/3.8m	1	pc
44,0350,3620	Combi liner G Al /2.0/4.8m	1	pc
44,0350,3619	Combi liner G Al /2.0/3.8m	1	pc
44,0350,3400	Combi liner G Al /0.8/2.0m	1	pc
44,0350,3404	Combi liner G Al /0.8/3.8m	1	pc
44,0350,3408	Combi liner G Al /0.8/4.8m	1	pc
44,0350,3401	Combi liner G Al /1.0/2.0m	1	pc

MTG 250d /F/3.5m/45° (4,035,921,000)

Article no.	Description	Quantity	Unit
44,0350,5520	Combination liner G /1.2/4.8m	1	pc
44,0350,5516	Combination liner G /1.6/3.8m	1	pc
44,0350,5521	Combination liner G /1.6/4.8m	1	pc
44,0350,5514	Combination liner G /1.0/3.8m	1	pc
44,0350,5519	Combination liner G /1.0/4.8m	1	pc
44,0350,5515	Combination liner G /1.2/3.8m	1	pc
44,0350,5517	Combination liner G /2.0/3.8m	1	pc
44,0350,5513	Combination liner G /0.8/3.8m	1	pc
44,0350,5518	Combination liner G /0.8/4.8m	1	pc
42,0404,0453	Bronze liner 2.7x1.0x40mm	1	pc
42,0404,0192	Bronze inner liner 2,7x1 0,32m	1	pc
42,0100,1370	Connector uni. to liner	1	pc
42,0100,1369	Outlet part to liner MAG02	1	pc
44,0350,3392	Combi liner W Al /0.8/3.8m	1	pc
44,0350,3396	Combi liner W Al /0.8/4.8m	1	pc
44,0350,3393	Combi liner W Al /1.0/3.8m	1	pc
44,0350,3397	Combi liner W Al /1.0/4.8m	1	pc
44,0350,3394	Combi liner W Al /1.2/3.8m	1	pc
44,0350,3398	Combi liner W Al /1.2/4.8m	1	pc
44,0350,3395	Combi liner W Al /1.6/3.8m	1	pc
44,0350,3399	Combi liner W Al /1.6/4.8m	1	pc
44,0350,3616	Combi liner W Al /2.0/3.8m	1	pc
44,0350,3617	Combi liner W Al /2.0/4.8m	1	pc
40,0002,0040,015	Steel liner exposed 0.8/15m	1	pc
40,0002,0041,015	Steel liner exposed 1.0 / 15m	1	pc
40,0002,0042,015	Steel liner exposed 1.2/15m	1	pc
40,0002,0043,015	Steel liner exposed 1.6/15m	1	pc
40,0002,0044,015	CrNi liner exposed 0.8/15m	1	pc
40,0002,0045,015	CrNi liner exposed 1.0/15m	1	pc
40,0002,0046,015	CrNi liner exposed 1.2/15m	1	pc
40,0002,0047,015	CrNi liner exposed 1.6/15m	1	pc
40,0002,0052,015	Steel inner liner C 0.8 / 15 m	1	pc
40,0002,0053,015	Steel inner liner C 1.0 / 15 m	1	pc
40,0002,0054,015	Steel inner liner C 1.2 / 15 m	1	pc

MTG 250d /F/3.5m/45° (4,035,921,000)

Article no.	Description	Quantity	Unit
40,0002,0055,015	Steel inner liner C 1.6 / 15 m	1	pc
40,0002,0040,005	Steel liner exposed 0.8/5m	1	pc
40,0002,0041,005	Steel liner exposed 1.0/5m	1	pc
40,0002,0042,005	Steel liner exposed 1.2/5m	1	pc
40,0002,0043,005	Steel liner exposed 1.6/5m	1	pc
40,0002,0044,005	CrNi liner exposed 0.8/5m	1	pc
40,0002,0045,005	CrNi liner exposed 1.0/5m	1	pc
40,0002,0046,005	CrNi liner exposed 1.2/5m	1	pc
40,0002,0047,005	CrNi liner exposed 1.6/5m	1	pc
40,0002,0052,005	Steel inner liner C 0.8 / 5 m	1	pc
40,0002,0053,005	Steel inner liner C 1.0 / 5 m	1	pc
40,0002,0054,005	Steel inner liner C 1.2 / 5 m	1	pc
40,0002,0055,005	Steel inner liner C 1.6 / 5 m	1	pc
40,0002,0040,050	Steel liner exposed 0.8/50m	1	pc
40,0002,0041,050	Steel liner exposed 1.0/50m	1	pc
40,0002,0042,050	Steel liner exposed 1.2/50m	1	pc
40,0002,0043,050	Steel liner exposed 1.6/50m	1	pc
40,0002,0044,050	CrNi liner exposed 0.8/50m	1	pc
40,0002,0045,050	CrNi liner exposed 1.0/50m	1	pc
40,0002,0046,050	CrNi liner exposed 1.2/50m	1	pc
40,0002,0047,050	CrNi liner exposed 1.6/50m	1	pc
40,0002,0052,050	Steel inner liner C 0.8 / 50 m	1	pc
40,0002,0053,050	Steel inner liner C 1.0 / 50 m	1	pc
40,0002,0054,050	Steel inner liner C 1.2 / 50 m	1	pc
40,0002,0055,050	Steel inner liner C 1.6 / 50 m	1	pc
44,0350,3388	Combi liner W Al /0.8/2.0m	1	pc
44,0350,3389	Combi liner W Al /1.0/2.0m	1	pc
44,0350,3390	Combi liner W Al /1.2/2.0m	1	pc
44,0350,3391	Combi liner W Al /1.6/2.0m	1	pc
44,0350,5550	Combination liner G /0.8/2.0m	1	pc
44,0350,5552	Combination liner G /1.2/2.0m	1	pc
44,0350,5553	Combination liner G /1.6/2.0m	1	pc
44,0350,5522	Combination liner G /2.0/4.8m	1	pc
44,0350,5554	Combination liner G /2.0/2.0m	1	pc

MTG 250d /F/3.5m/45° (4,035,921,000)

Article no.	Description	Quantity	Unit
44,0350,3615	Combi liner W Al /2.0/2.0m	1	pc
44,0350,3618	Combi liner G Al /2.0/2.0m	1	pc
44,0350,5551	Combination liner G /1.0/2.0m	1	pc
40,0001,0529,010	Graph. liner 0.8(4.7/1.2) 10m	1	pc
40,0001,0530,010	Graph. liner 1.0(4.7/1.5) 10m	1	pc
40,0001,0531,010	Graph. liner 1.2(4.7/1.8) 10m	1	pc
40,0001,0532,010	Graph. liner 1.6(4.7/2.4) 10m	1	pc
40,0001,0529,100	Graph. liner 0.8(4.7/1.2) 100m	1	pc
40,0001,0531,100	Graph. liner 1.2(4.7/1.8) 100m	1	pc
40,0001,0530,100	Graph. liner 1.0(4.7/1.5) 100m	1	pc
40,0001,0533,100	Graph. liner 2.0(4.7/3.0) 100m	1	pc
40,0001,0532,100	Graph. liner 1.6(4.7/2.4) 100m	1	pc
40,0001,0533,030	Graph. liner 2.0(4.7/3.0) 30m	1	pc
40,0001,0532,030	Graph. liner 1.6(4.7/2.4) 30m	1	pc
40,0001,0531,030	Graph. liner 1.2(4.7/1.8) 30m	1	pc
40,0001,0530,030	Graph. liner 1.0(4.7/1.5) 30m	1	pc
40,0001,0529,030	Graph. liner 0.8(4.7/1.2) 30m	1	pc
40,0001,0533,010	Graph. liner 2.0(4.7/3.0) 10m	1	pc
42,0001,4717	Clamp. nut Euro plastic liner	1	pc
42,0001,4716	Inlet noz. for graph. liner ø5	1	pc
42,0001,4718	Collet Euro plastic liner ø4.7	1	pc
44,0350,3703	Clamping piece 0.8/E	1	pc
44,0350,3704	Clamping piece 1.0/E	1	pc
44,0350,3706	Clamping piece 1.6/E	1	pc
44,0350,3705	Clamping piece 1.2/E	1	pc
42,0100,1003	Guide nozzle 1,2	1	pc
42,0100,1120	Guide nozzle ø0,8 gray	1	pc
42,0100,1008	Guide nozzle 1,6	1	pc
42,0100,1119	Guide nozzle ø1,0 Drive	1	pc
42,0400,1024	Clamping nut for nozzle	1	pc
42,0001,3583	Clamping piece cyl. Aø4,7-4,9	1	pc
42,0001,5833	Clamping piece zyl. Aø4,1-4,3	1	pc
42,0001,4512	clamping piece ZYL. AØ4,6-Ø4,8	1	pc
44,0350,3769	Intake nozzle F++/0,8 complete	1	pc

MTG 250d /F/3.5m/45° (4,035,921,000)

Article no.	Description	Quantity	Unit
44,0350,3770	Intake nozzle F++/1,0 complete	1	pc
44,0350,3772	Intake nozzle F++/1,6 complete	1	pc
44,0350,3771	Intake nozzle F++/1,2 complete	1	pc
44,0350,5122	BK Fe ø1.6 /G/W/5m	1	pc
44,0350,5121	BK Fe ø1.4 /G/W/5m	1	pc
44,0350,5120	BK Fe ø1.2 /G/W/5m	1	pc
44,0350,5119	BK Fe ø1,0 G/W/5m MTG/MTW Fe	1	pc
44,0350,5118	BK Fe ø0.9 /G/W/5m	1	pc
44,0350,5117	BK Fe ø0.8 /G/W/5m	1	pc
44,0350,5163	BK CrNi ø1.6 /G/W/5m	1	pc
44,0350,5162	BK CrNi ø1.4 /G/W/5m	1	pc
44,0350,5161	BK CrNi ø1,2 G/W/5m MTG/MTW	1	pc
44,0350,5160	BK CrNi ø1,0 G/W/5m MTG/MTW	1	pc
44,0350,5159	BK CrNi ø0.9 /G/W/5m	1	pc
44,0350,5158	BK CrNi ø0.8 /G/W/5m	1	pc
44,0350,5139	BK Al ø1.4 /W/5m	1	pc
44,0350,5136	BK Al ø0.9 /W/5m	1	pc
44,0350,5140	BK Al ø1.6 /W/5m	1	pc
44,0350,5138	BK Al ø1,2 W/5m MTW	1	pc
44,0350,5137	BK Al ø1.0 /W/5m	1	pc
44,0350,5135	BK Al ø0.8 /W/5m	1	pc
44,0350,5148	BK Al ø1.4 /G CuSi ø1.4 G/W/5m	1	pc
44,0350,5145	BK Al ø0.9 /G CuSi ø0.9 G/W/5m	1	pc
44,0350,5149	BK Al ø1.6/G CuSi ø1.6 G/W/5m	1	pc
44,0350,5147	BK Al ø1.2 /G CuSi ø1.2 G/W/5m	1	pc
44,0350,5146	BK Al ø1.0 /G CuSi ø1.0 G/W/5m	1	pc
44,0350,5144	BK Al ø0.8 /G CuSi ø0.8 G/W/5m	1	pc
44,0450,1436	Extract. tool CPC+35mm extens.	1	pc
42,0201,3216	Multitool TB wear parts	1	pc
45,0200,0826	Torque wrench union nut BY	1	pc
44,0450,1938	Adjustable spanner	1	pc
42,0411,9040	Torque wrench 4-20Nm	1	pc
40,0009,0044	Grease O-ring	1	pc