


MTW 400d /F++/JM/3.5m/45°

4,035,953,000

TAB. B

44,0350,3436 - 3,15m (10.33ft)	MTW 250d
44,0350,3437 - 4,15m (13.61ft)	& MTW 400d
44,0350,3438 - 3,15m (10.33ft)	MTW 500d / MHP 500d
44,0350,3439 - 4,15m (13.61ft)	MTW 5000d
44,0350,3563 - 3,15m (10.33ft)	
44,0350,3564 - 4,15m (13.61ft)	MTW 700d / MHP 700d

TYPE STANDARD
TYPE UP/DOWN
TYPE JOBMASER




Exploded view diagram of the trimmer head assembly. The diagram shows the following components and their part numbers:

- 42,0405,1197: Small rectangular component.
- 42,0405,1029: Small rectangular component.
- 32,0402,1006: Small rectangular component.
- 4,070,629,Z: Small rectangular component.
- 32,0405,0358: Small rectangular component.
- 42,0401,0936: Small rectangular component.
- 43,0002,0522: Small rectangular component.
- 43,0004,1875 - 3,5m (11.5ft): Trimmer head assembly.
- 43,0004,1876 - 4,5m (14.8ft): Trimmer head assembly.


Exploded view diagram of the 43,0004 cable assembly. The diagram shows the following components and their part numbers:

- 42,0405,1196: Small rectangular component at the top left.
- 42,0405,1029: Small rectangular component at the top right.
- 32,0402,1008: Small rectangular component in the upper middle.
- 4,070,900,Z: Small rectangular component in the middle left.
- 32,0405,0358: Small rectangular component in the middle left, below 4,070,900,Z.
- 42,0401,0936: Small rectangular component in the middle left, below 32,0405,0358.
- 43,0002,0522: Small rectangular component in the middle right.
- 43,0004,1844 - 3,5m (11.5ft): Cable assembly in the bottom left.
- 43,0004,1845 - 4,5m (14.8ft): Cable assembly in the bottom right.



MTW 400d /F++/JM/3.5m/45° (4,035,953,000)


MTW 400i



TAB. 1 CuCrZr		Ø mm	Ø inch	Part No.
		0,6	0,023	42,0001,4928
		0,7	0,027	42,0001,6524,10
		0,8	0,030	42,0001,4461,10
		0,9	0,035	42,0001,4462,10
		1,0	0,040	42,0001,4463,10
		1,1	0,043	42,0001,6527,10
		1,2	0,045	42,0001,4464,10
		1,3	0,051	42,0001,6529,10
		1,4	0,052	42,0001,4465,10
		1,5	0,059	42,0001,6522,10
		1,6	0,062	42,0001,4466,10
		0,7	0,027	42,0001,6482,10
		0,8	0,030	42,0001,6464,10
		0,9	0,035	42,0001,6465,10
		1,0	0,040	42,0001,6466,10
		1,1	0,043	42,0001,6483,10
		1,2	0,045	42,0001,6467,10
		1,3	0,051	42,0001,6484,10
		1,4	0,052	42,0001,6468,10
		1,5	0,059	42,0001,6485,10
		1,6	0,062	42,0001,6469,10
		1,8	0,071	42,0001,6470,10
		2,0	0,078	42,0001,6471,10
Al 		0,8	0,030	42,0001,6525,10
		1,0	0,040	42,0001,6526,10
		1,2	0,045	42,0001,6528,10
		1,6	0,062	42,0001,6523,10
Al 		0,8	0,030	42,0001,6537,10
		1,0	0,040	42,0001,4750,10
		1,2	0,045	42,0001,4751,10
		1,6	0,062	42,0001,4752,10


TAB. 1 E-Cu		Ø mm	Ø inch	Part No.
		0,9	0,035	42,0001,7025,10
		1,0	0,040	42,0001,7026,10
		1,2	0,045	42,0001,7027,10
		0,9	0,035	42,0001,7028,10
		1,0	0,040	42,0001,7029,10
		1,2	0,045	42,0001,7030,10


MTW 400d /F++/JM/3.5m/45° (4,035,953,000)

TAB. 2													
MTW 250i	MTG 250i	M20x2	d1		d2		d3		L		Part No.		
			mm	inch	mm	inch	mm	inch	mm	inch			
			8	0.31	22	0.86	10,4	0.41	58	2.28	42,0001,6664		standard MTW 250i Bronze
			10	0.39	22	0.86	13,0	0.51	54	2.13	42,0001,4083		
			13	0.51	22	0.86	16,1	0.63	54	2.13	42,0001,4799		
			13	0.51	22	0.86	16,1	0.63	56	2.20	42,0001,4477		standard MTB 250i G/W R
			10	0.39	22	0.86	13,0	0.51	58	2.28	42,0001,4084		
			13	0,51	22	0,86	16,1	0.63	56	2.20	42,0001,4498	AI	
MTB W 250i R	MTB G 250i R		13	0,51	22	0,86	16,1	0.63	58	2.28	42,0001,4065		standard MTG/MTW 250i
			15	0.59	22	0,86	18,3	0.72	58	2.28	42,0001,4493		
			18	0.71	22	0.86	22	0.87	58	2.28	42,0001,4055		
			13	0.51	25	0.98	16,4	0.64	59	2.32	42,0001,4085		
			15	0.59	25	0.98	18,6	0.73	59	2.32	42,0001,4048		
			13	0.51	25	0.98	16,4	0.64	61	2.40	42,0001,4086		standard MTB 320i G R
			15	0.59	25	0.98	18,1	0.71	61	2.40	42,0001,4474		standard MTB 400i W R
			15	0.59	27	1.06	20,2	0.80	61	2.40	42,0001,4789		MTB 400i W R, heavy duty
MTW 400i/500i	MTG 320i/400i		17	0.71	25	0.98	20,8	0.82	61	2.40	42,0001,4476		standard MTB 500i W R
			13	0.51	25	0.98	16,4	0.64	61	2.40	42,0001,4497	AI	
			13	0.51	25	0.98	16,4	0.64	63	2.48	42,0001,4080		standard MTG 320i
			15	0.59	25	0.98	18,6	0.73	61	2.40	42,0001,4496	AI	
			15	0.59	25	0.98	18,6	0.73	63	2.48	42,0001,4051		standard MTW 400i
			17	0.71	25	0.98	20,8	0.82	61	2.40	42,0001,4494	AI	
			17	0.71	25	0.98	20,8	0.82	63	2.48	42,0001,4050		standard MTW500i,330i W R long
			17	0.71	27	1.06	20,8	0.82	63	2.48	42,0001,4216		MTW 500i, heavy duty
			21	0.82	25	0.98	25,0	0.98	63	2.48	42,0001,4054		
			15	0.59	25	0.98	18,6	0.73	68	2.68	42,0001,4052		
			17	0.71	25	0.98	20,8	0.82	68	2.68	42,0001,4049		
			13	0.51	25	0.98	16,4	0.64	71	2.80	42,0001,4087		
			15	0.59	25	0.98	18,6	0.73	71	2.80	42,0001,4788		
			13	0.51	25	0.98	16,4	0.64	73	2.87	42,0001,4088		
			15	0.59	25	0.98	18,6	0.73	73	2.87	42,0001,4475		standard MTB 400i G R
			15	0.59	27	1.06	18,6	0.73	73	2.87	42,0001,4790		MTB 400i G R, heavy duty
			15	0.59	25	0.98	18,6	0.73	73	2.87	42,0001,4495	AI	
			15	0.59	25	0.98	18,6	0.73	75	2.95	42,0001,4045		standard MTG 400i
			17	0.71	25	0.98	20,8	0.82	75	2.95	42,0001,4043		
			21	0.82	25	0.98	25,0	0.98	75	2.95	42,0001,4053		
			15	0.59	25	0.98	18,6	0.73	80	3.15	42,0001,4047		

MTW 400d /F++/JM/3.5m/45° (4,035,953,000)

TAB. 6																
																
		d1		d2		d3		L		Part No.						
		mm	inch	mm	inch	mm	inch	mm	inch							
MTB G 330i R	MTB W 330i R	M23x2		13	0.51	ø25	0.98	16	0.63	37	1.46	42,0001,4533		not possible at MTB 330i G R H		
			13	0.51	ø25	0.98	16	0.63	41	1.61	42,0001,4487		standard MTB 330i W R / G ML			
			13	0.51	ø25	0.98	16	0.63	39,5	1.61	42,0001,4534	AI				
			13	0.51	ø25	0.98	16	0.63	39,5	1.56	42,0001,4902		standard MTB 330i G R G R H			
			15	0.59	ø25	0.98	18	0.72	39,5	1.56	42,0001,5023					

TAB. 7														
			d1 mm inch		d2 mm inch		d3 mm inch		L mm inch		Part No.			
MTB W 330i W R H		M23x2	13	0.51	ø25	0.98	16	0.63	41	1.61	42,0001,4486		standard MTB 330i W R H	

TAB. 8 narrow gap												
		d1 mm, inch		d2 mm, inch		d3 mm, inch		L mm, inch		Part No.		
MTB W 330i R MTB G 330i R	M23x2	13	0.51	ø25	0.98	16	0.63	56	2.21	42,0001,4745		
		13	0.51	ø25	0.98	16	0.63	50	1.97	42,0001,6772		

TAB. 9													
		d1		d2		d3		L		Part No.			
MTB G 330i R long	M23x2	13	0.51	ø27	1.06	18	0.72	53	2.09	42,0001,4858		standard MTB 330i G R	
		15	0.59	ø27	1.06	18	0.72	53	2.09	42,0001,4857			
		15	0.59	ø27	1.06	18	0.72	57	2.09	42,0001,4856			


TAB. 10

	d1		d2		d3		L		Part No.			
	mm	inch	mm	inch	mm	inch	mm	inch				
MTG 550i	M25x3	15	0.59	ø27	1.06	19	0.75	67	2.64	44,0350,2020		
		17	0.67	ø27	1.06	21	0.83	67	2.64	44,0350,2021		
		15	0.59	ø27	1.06	19	0.75	74	2.91	44,0350,1991		
		17	0.67	ø27	1.06	21	0.83	74	3.91	44,0350,1995		
		15	0.59	ø27	1.06	19	0.75	80,5	3.17	44,0350,1987		
		15	0.59	ø27	1.06	19	0.75	82,5	3.25	44,0350,1988		
		17	0.67	ø27	1.06	21	0.83	83,5	3.29	44,0350,3179		
		18	0.71	ø27	1.06	22	0.89	87,5	3.44	44,0350,3180		standard MTG 550i

TAB. 11												
		d1		d2		d3		L		Part No.		
		mm	inch	mm	inch	mm	inch	mm	inch			
MTB 400/500i W R MTB 320/400i G R	M23x2	13	0.51	ø25	0.98	16	0.63	62,5	2.46	42,0001,4917		standard MTB 320i G / 400/500i W
		10	0.39	ø25	0.98	16	0.63	68,0	2.68	42,0001,6715		
		13	0.51	ø25	0.98	16	0.63	68,0	2.68	42,0001,6716		
		13	0.51	ø25	0.98	16	0.63	74.5	2.93	42,0001,4918		standard MTB 400i G

TAB. 15												
												
		d1		d2		d3		L		Part No.		
		mm	inch	mm	inch	mm	inch	mm	inch			
MTW 500i	plug	17	0.66	ø27	1.06	22,2	0.87	85	3.34	44,0350,2036		standard MTB 500i W

Tab. 3






material			d1		d2		Part No. L		Part No. L		Part No. L	
	Ø mm	Ø inch	mm	inch	mm	inch	5m	16.4feet	15m	49.2feet	50m	160feet
Steel liner	0,8	.030	1,4	.055	4,4	.176	40,0002,0040,005		40,0002,0040,015		40,0002,0040,050	
Steel liner	0,9-1,0	.035/.040	1,6	.062	4,8	.189	40,0002,0041,005		40,0002,0041,015		40,0002,0041,050	
Steel liner	1,2	.045	1,9	.074	4,9	.192	40,0002,0042,005		40,0002,0042,015		40,0002,0042,050	
Steel liner	1,4-1,6	.052/.062	2,5	.098	4,9	.192	40,0002,0043,005		40,0002,0043,015		40,0002,0043,050	
CrNi liner	0,8	.030	1,4	.055	4,4	.176	40,0002,0044,005		40,0002,0044,015		40,0002,0044,050	
CrNi liner	0,9-1,0	.035/.040	1,6	.062	4,8	.189	40,0002,0045,005		40,0002,0045,015		40,0002,0045,050	
CrNi liner	1,2	.045	1,9	.074	4,9	.192	40,0002,0046,005		40,0002,0046,015		40,0002,0046,050	
CrNi liner	1,4-1,6	.052/.062	2,5	.098	4,9	.192	40,0002,0047,005		40,0002,0047,015		40,0002,0047,050	
Steel liner coated	0,8	.030	1,4	.055	4,4	.176	40,0002,0052,005		40,0002,0052,015		40,0002,0052,050	
Steel liner coated	0,9-1,0	.035/.040	1,6	.062	4,8	.189	40,0002,0053,005		40,0002,0053,015		40,0002,0053,050	
Steel liner coated	1,2	.045	1,9	.074	4,9	.192	40,0002,0054,005		40,0002,0054,015		40,0002,0054,050	
Steel liner coated	1,4-1,6	.052/.062	2,5	.098	4,9	.192	40,0002,0055,005		40,0002,0055,015		40,0002,0055,050	

Tab. 3

combi liner W AL

combi liner G AL

combi inner liner G





		L		d1		d2		combi liner W AL	combi liner G AL	combi inner liner G
Ø mm	Ø inch	m	feet	mm	inch	mm	inch	Part No.	Part No.	Part No.
0,8	.030	2,0	6.5	1,2	.059	4,7	.185	44,0350,3388	44,0350,3400	44,0350,5550
0,8	.030	3,8	12.4	1,2	.059	4,7	.185	44,0350,3392	44,0350,3404	44,0350,5513
0,8	.030	4,8	15.7	1,2	.059	4,7	.185	44,0350,3396	44,0350,3408	44,0350,5518
0,9-1,0	.035/.040	2,0	6.5	1,5	.062	4,7	.185	44,0350,3389	44,0350,3401	44,0350,5551
0,9-1,0	.035/.040	3,8	12.4	1,5	.062	4,7	.185	44,0350,3393	44,0350,3405	44,0350,5514
0,9-1,0	.035/.040	4,8	15.7	1,5	.062	4,7	.185	44,0350,3397	44,0350,3409	44,0350,5519
1,2	.045	2,0	6.5	1,8	0.74	4,7	.185	44,0350,3390	44,0350,3402	44,0350,5552
1,2	.045	3,8	12.4	1,8	0.74	4,7	.185	44,0350,3394	44,0350,3406	44,0350,5515
1,2	.045	4,8	15.7	1,8	0.74	4,7	.185	44,0350,3398	44,0350,3410	44,0350,5520
1,4-1,6	.052/.062	2,0	6.5	2,4	.098	4,7	.185	44,0350,3391	44,0350,3403	44,0350,5553
1,4-1,6	.052/.062	3,8	12.4	2,4	.098	4,7	.185	44,0350,3395	44,0350,3407	44,0350,5516
1,4-1,6	.052/.062	4,8	15.7	2,4	.098	4,7	.185	44,0350,3399	44,0350,3411	44,0350,5521
2,0	.045	2,0	6.5	1,2	.059	4,7	.185	44,0350,3615	44,0350,3618	44,0350,5554
2,0	.045	3,8	12.4	3,0	.118	4,7	.185	44,0350,3616	44,0350,3619	44,0350,5517
2,0	.045	4,8	15.7	3,0	.118	4,7	.185	44,0350,3617	44,0350,3620	44,0350,5522



Tab. 3.1


material			d1		d2		Part No. L 10m 32.8feet	Part No. L 30m 98feet	Part No. L 100m 328feet
	Ø mm	Ø inch	mm	inch	mm	inch			
Graphit	0,8	.030	1,2	.047	4,7	.185	40,0001,0529,010	40,0001,0529,030	40,0001,0529,100
Graphit	0,9 - 1,0	.035-.040	1,5	.059	4,7	.185	40,0001,0530,010	40,0001,0530,030	40,0001,0530,100
Graphit	1,2	.045	1,8	.070	4,7	.185	40,0001,0531,010	40,0001,0531,030	40,0001,0531,100
Graphit	1,4 - 1,6	.052-1/16	2,4	.094	4,7	.185	40,0001,0532,010	40,0001,0532,030	40,0001,0532,100
Graphit	0,8	5/64	3,0	.118	4,7	.185	40,0001,0533,010	40,0001,0533,030	40,0001,0533,100


Tab. 7

Fe / CrNi


		Fe	Part No.			Fe	Part No.
	Ø mm	Ø inch			Ø mm	Ø inch	
	0,8	.030	42,0001,5833		0,8	.030	44,0350,3769
	1,0	.040	42,0001,4512		1,0	.040	44,0350,3770
	1,2	.045	42,0001,4512		1,2	.045	44,0350,3771
	1,6	1/16	42,0001,3583		1,6	1/16	44,0350,3772

Euro			Fe	Part No.	colour
	Ø mm	Ø inch			
	0,8	.030		44,0350,3703	grey
	1,0	.040		44,0350,3704	blue
	1,2	.045		44,0350,3705	red
	1,6	1/16		44,0350,3706	black


Al

	Al		Part No.
	Ø mm	Ø inch	
	0,8	.030	42,0001,3583
	1,0	.040	42,0001,3583
	1,2	.045	42,0001,3583
	1,6	1/16	42,0001,3583

	42,0400,1024
---	--------------




	Al		Part No.
	Ø mm	Ø inch	
	0,8	.030	42,0100,1120 -white
	0,9	.035	42,0100,1119 -blue
	1,0	.040	
	1,2	.045	42,0100,1003 -red
	1,6	1/16	42,0100,1008 -black

Euro





MTW 400d /F++/JM/3.5m/45° (4,035,953,000)

Basic kit 250i / 320i / 400i / 500i / 700i	Ø mm		Ø inch		m		feet		Fe MTG / MTW Part No.	CrNi MTG / MTW Part No.	Alu MTW Part No.	CuSi MTW Part No.	Alu/CuSi MTG Part No.
	0,8	.030	5,0	11,5	44,0350,5117*	44,0350,5158*	44,0350,5135*	44,0350,5144*					
	0,9	.035	5,0	14,8	44,0350,5118*	44,0350,5159*	44,0350,5136*	44,0350,5145*					
	1,0	.040	5,0	11,5	44,0350,5119*	44,0350,5160*	44,0350,5137*	44,0350,5146*					
	1,2	.047	5,0	14,8	44,0350,5120*	44,0350,5161*	44,0350,5138*	44,0350,5147*					
	1,4	.052	5,0	11,5	44,0350,5121*	44,0350,5162*	44,0350,5139*	44,0350,5148*					
	1,6	.062	5,0	14,8	44,0350,5122*	44,0350,5163*	44,0350,5140*	44,0350,5149*					

*		
F++ Part No. + ,000 44,0350,xxxx,000 	E Part No. + ,001 44,0350,xxxx,001 	FSC Part No. 44,0350,xxxx 

TOOLS



MTW 400d /F++/JM/3.5m/45° (4,035,953,000)

Article no.	Description	Quantity	Unit
42,0407,0245	CLAMP W.INSERT 7,0/ø5,8-7,9	1	pc
42,0402,0286	O-ring ø7.5x1.5mm NBR70	1	pc
44,0350,3441	Wiref. hose 5.7x1.15 4.25m	1	pc
44,0350,3440	Wiref. hose 5.7x1.15 3.25m	1	pc
42,0402,0258	O-ring 4x1.2mm FKM	1	pc
42,0407,0100	CABLE FIXING 150	1	pc
42,0405,0561	Union nut M33x2	1	pc
42,0405,0560	Union nut M40x1.5	1	pc
42,0405,0548	Sealing cap for plug nipple	1	pc
42,0405,0753	Heat shield PA6 ø18mm	1	pc
42,0100,1329	Insulating ring W ø20.8/14*7.3	1	pc
42,0001,4037	Nozz.stock M8x1.5/SW13x26.5 CU	1	pc
42,0405,0854	Spatter guard Ø10/Ø20.8x24mm	1	pc
42,0100,1156	Spatter guard ø14,5/ø18x21,3	1	pc
42,0001,6336	Clamping nut Contec/SW11x19,5	1	pc
44,0350,3426	Contec MD nozzle fitt. MTW500i	1	pc
42,0100,1371	Insulation ring Ø20.8/Ø14x8.5	1	pc
42,0100,0591	Spatter guard Ø10/Ø20.8x24mmHD	1	pc
42,0001,4651	Nozzle fit.M8x1.5/SW10x26.5 CU	1	pc
42,0100,1497	Insulation ring ø20.7/ø14x15	1	pc
42,0001,4919	Nozzle fitting M6/SW10x30 CU	1	pc
42,0402,0317	O-ring lø20x1.3 FKM	1	pc
42,0001,4051	Gas nozzle ø15/ø25x63 CT	1	pc
42,0001,4917	Gas noz. narrow Ø13/Ø25x62.5	1	pc
44,0350,3935	Gas nozzle Ø15/Ø25x61 CT/H	1	pc
42,0001,3912,100	Contec-Shell 100 pcs MD	1	pk
42,0001,3912,10	Contec-Shell 10 pcs MD	1	pk
42,0001,4928	Contact tip 0.6/M6/8x24mm	1	pc
42,0001,6524,10	Contact tip 0,7 / M6 / 8x24mm	1	pk
42,0001,4461,10	Contact tip 0,8/M6/ø8x24 10 pc	1	pk
42,0001,4462,10	Contact tip 0,9/M6/ø8x24 10pcs	1	pk
42,0001,4463,10	Contact tip 1,0/M6/ø8x24 10pcs	1	pk
42,0001,6527,10	Contact tip 1,1 / M6 / Ø8x24mm	1	pk
42,0001,4464,10	Contact tip 1,2/M6/ø8x24 10pcs	1	pk

MTW 400d /F++/JM/3.5m/45° (4,035,953,000)

Article no.	Description	Quantity	Unit
42,0001,6529,10	Contact tip 1,3 / M6 / Ø8x24mm	1	pk
42,0001,4465,10	Contact tip 1,4/M6/ø8x24 10pcs	1	pk
42,0001,6522,10	Contact tip 1,5 / M6 / 8x24mm	1	pk
42,0001,4466,10	Contact tip 1,6/M6/ø8x24 10pcs	1	pk
42,0001,6482,10	Contact tip 0,7/M8x1,5/Ø10x32	1	pk
42,0001,6464,10	Contact tip 0,8/M8x1,5/ø10x32	1	pk
42,0001,6465,10	Contact tip 0,9/M8x1,5/ø10x32	1	pk
42,0001,6466,10	Contact tip 1,0/M8x1,5/ø10x32	1	pk
42,0001,6483,10	Contact tip 1,1/M8x1,5/Ø10x32	1	pk
42,0001,6467,10	Contact tip 1,2/M8x1,5/ø10x32	1	pk
42,0001,6484,10	Contact tip 1,3/M8x1,5/Ø10x32	1	pk
42,0001,6468,10	Contact tip 1,4/M8x1,5/ø10x32	1	pk
42,0001,6485,10	Contact tip 1,5/M8x1,5/ø10x32	1	pk
42,0001,6469,10	Contact tip 1,6/M8x1,5/ø10x32	1	pk
42,0001,6470,10	Contact tip 1,8/M8x1,5/ø10x32	1	pk
42,0001,6471,10	Contact tip 2,0/M8x1,5/ø10x32	1	pk
42,0001,6472,10	Contact tip 2,4/M8x1,5/ø10x32	1	pk
42,0001,4642,10	Contact tip 2.8/M8x1.5/ø10x32	1	pk
42,0001,6537,10	Cont. tip 0.8/M8x1.5/Ø10x32 Al	1	pk
42,0001,4750,10	Cont. tip 1.0/M8x1.5/ø10x32 Al	1	pk
42,0001,4751,10	Cont. tip 1.2/M8x1.5/ø10x32 Al	1	pk
42,0001,4752,10	Cont. tip 1.6/M8x1.5/ø10x32 Al	1	pk
42,0001,6525,10	Contact tip 0,8 / M6 / Ø8x24mm	1	pk
42,0001,6526,10	Contact tip 1,0 / M6 / Ø8x24mm	1	pk
42,0001,6528,10	Contact tip 1,2 / M6 / Ø8x24mm	1	pk
42,0001,6523,10	Contact tip 1,6/M6/ø8x24 Al	1	pk
42,0001,7025,10	Contact tip 0.9/M6/ø8x24/SQ	1	pk
42,0001,7026,10	Contact tip 1.0/M6/ø8x24/SQ	1	pk
42,0001,7027,10	Contact tip 1.2/M6/ø8x24/SQ	1	pk
42,0001,7028,10	Cont. tip 0.9/M8x1.5/ø10x32/SQ	1	pk
42,0001,7029,10	Cont. tip 1.0/M8x1.5/ø10x32/SQ	1	pk
42,0001,7030,10	Cont. tip 1.2/M8x1.5/ø10x32/SQ	1	pk
44,0350,3936	Gas nozzle ø17/ø25x61 CT/H	1	pc
42,0001,6664	Gas nozzle ø8/ø22x57 CT	1	pc

MTW 400d /F++/JM/3.5m/45° (4,035,953,000)

Article no.	Description	Quantity	Unit
42,0001,4083	Gas nozzle ø10/ø22x54 CT	1	pc
42,0001,4799	Gas nozzle ø13/ø22x54 CT	1	pc
42,0001,4477	Gas nozzle ø13/ø22x56 CT	1	pc
42,0001,4084	Gas nozzle ø10/ø22x58 CT	1	pc
42,0001,4498	Gas nozzle ø13/ø22x56 CT/C	1	pc
42,0001,4065	Gas nozzle ø13/ø22x58 CT	1	pc
42,0001,4493	Gas nozzle ø15/ø22x58 CT	1	pc
42,0001,4055	Gas nozzle cyl ø18/ø22x58 CT	1	pc
42,0001,4085	Gas nozzle ø13/ø25x59 CT	1	pc
42,0001,4048	Gas nozzle ø15/ø25x59 CT	1	pc
42,0001,4086	Gas nozzle ø13/ø25x61.5 CT	1	pc
42,0001,4474	Gas nozzle ø15/ø25x61 CT	1	pc
42,0001,4789	Gas nozzle ø15/ø27x61 CT HD	1	pc
42,0001,4476	Gas nozzle Ø17 / Ø25x61 CT	1	pc
42,0001,4497	Gas nozzle ø13/ø25x61 CT/C	1	pc
42,0001,4080	Gas nozzle ø13/ø25x63 CT	1	pc
42,0001,4496	Gas nozzle ø15/ø25x61 CT/C	1	pc
42,0001,4494	Gas nozzle ø17/ø25x61 CT/C	1	pc
42,0001,4050	Gas nozzle ø17/ø25x63 CT	1	pc
42,0001,4216	Gas nozzle Ø17/Ø27x63 CT HD	1	pc
42,0001,4054	Gas nozzle cyl ø21.1/ø25x63 CT	1	pc
42,0001,4052	Gas nozzle ø15/ø25x68 CT	1	pc
42,0001,4049	Gas nozzle ø17/ø25x68 CT	1	pc
42,0001,4087	Gas nozzle ø13/ø25x71 CT	1	pc
42,0001,4788	Gas nozzle ø15/ø25x71 CT	1	pc
42,0001,4088	Gas nozzle ø13/ø25x73 CT	1	pc
42,0001,4475	Gas nozzle ø15/ø25x73 CT	1	pc
42,0001,4790	Gas nozzle ø15/ø27x73 CT HD	1	pc
42,0001,4495	Gas nozzle ø15/ø25x73 CT/C	1	pc
42,0001,4045	Gas nozzle ø15/ø25x75 CT	1	pc
42,0001,4043	Gas nozzle ø17/ø25x75 CT	1	pc
42,0001,4053	Gas nozzle cyl ø21.1/ø25x75 CT	1	pc
42,0001,4047	Gas nozzle ø15/ø25x80 CT	1	pc
42,0402,0304	Sealing ring lø25x1,5 FKM	1	pc

MTW 400d /F++/JM/3.5m/45° (4,035,953,000)

Article no.	Description	Quantity	Unit
42,0402,0305	Sealing ring lø21x1.5 FKM	1	pc
44,0350,3966	Gas nozzle W 700i ø17/ø29.5x71	1	pc
42,0001,4257	Gas noz. mouthpiece Ø17/Ø29x29	1	pc
44,0350,3942	Gas noz.W 700i ø17/ø29.5x76 HD	1	pc
42,0001,4670	Gas noz. mouthp. ø17/29x34 HD	1	pc
44,0350,4079	Gas noz. W 700i Ø17/Ø29.5x68.5	1	pc
42,0001,4868	Gas noz. mouthpc. Ø17/Ø29x26.5	1	pc
44,0350,0226	Gas nozz. W 700iø13.2/ø29.5x69	1	pc
42,0001,0142	Gas nozzle mouthpiece ø13/ø29x	1	pc
42,0001,4533	Gas nozzle ø13/ø24x37 CT	1	pc
42,0001,4487	Gas nozzle ø13/ø25x41 CT	1	pc
42,0001,4534	Gas nozzle ø13/ø25x39,5 CT/C	1	pc
42,0001,4902	Gas nozzle ø13/ø25x39.5 CT	1	pc
42,0001,5023	Gas nozzle ø15/ø25x39.5 CT	1	pc
42,0001,4486	Gas nozzle ø13/ø25x41 CT/H	1	pc
42,0001,4745	Gas noz.narrow gap ø13/ø25x56	1	pc
42,0001,6772	Gas noz. nrw gap ø13/ø25x50 CT	1	pc
42,0001,4858	Gas nozzle ø13/ø27x53 CT	1	pc
42,0001,4857	Gas nozzle ø15/ø27x53 CT	1	pc
42,0001,4856	Gas nozzle ø15/ø27x57 CT	1	pc
44,0350,2020	Gas nozzle ø15/ø27x67 CT	1	pc
44,0350,2021	Gas nozzle ø17/ø27x67 CT	1	pc
44,0350,1991	Gas nozzle ø15/ø27x74 CT	1	pc
44,0350,1995	Gas nozzle ø17/ø27x74 CT	1	pc
44,0350,1987	Gas nozzle ø15/ø27x80.5 CT	1	pc
44,0350,1988	Gas nozzle ø15/ø27x82.5 CT	1	pc
44,0350,3179	Gas nozzle ø17/ø27x83.5 CT	1	pc
44,0350,3180	Gas nozzle ø18/ø27x87.5 CT	1	pc
42,0001,6715	Gas nz. nar. gap Ø10/Ø25x68 CT	1	pc
42,0001,6716	Gas nz. nar. gap Ø13/Ø25x68 CT	1	pc
42,0001,4918	Gas noz. narrow Ø13/Ø25x74.5	1	pc
44,0350,2036	Gas nozzle ø17/ø27x85	1	pc
44,0350,3410	Combi liner G Al /1.2/4.8m	1	pc
44,0350,3403	Combi liner G Al /1.6/2.0m	1	pc

MTW 400d /F++/JM/3.5m/45° (4,035,953,000)

Article no.	Description	Quantity	Unit
44,0350,3407	Combi liner G Al /1.6/3.8m	1	pc
44,0350,3411	Combi liner G Al /1.6/4.8m	1	pc
44,0350,3405	Combi liner G Al /1.0/3.8m	1	pc
44,0350,3409	Combi liner G Al /1.0/4.8m	1	pc
44,0350,3402	Combi liner G Al /1.2/2.0m	1	pc
44,0350,3406	Combi liner G Al 1.2/3.8m	1	pc
44,0350,3620	Combi liner G Al /2.0/4.8m	1	pc
44,0350,3619	Combi liner G Al /2.0/3.8m	1	pc
44,0350,3400	Combi liner G Al /0.8/2.0m	1	pc
44,0350,3404	Combi liner G Al /0.8/3.8m	1	pc
44,0350,3408	Combi liner G Al /0.8/4.8m	1	pc
44,0350,3401	Combi liner G Al /1.0/2.0m	1	pc
44,0350,5520	Combination liner G /1.2/4.8m	1	pc
44,0350,5516	Combination liner G /1.6/3.8m	1	pc
44,0350,5521	Combination liner G /1.6/4.8m	1	pc
44,0350,5514	Combination liner G /1.0/3.8m	1	pc
44,0350,5519	Combination liner G /1.0/4.8m	1	pc
44,0350,5515	Combination liner G /1.2/3.8m	1	pc
44,0350,5517	Combination liner G /2.0/3.8m	1	pc
44,0350,5513	Combination liner G /0.8/3.8m	1	pc
44,0350,5518	Combination liner G /0.8/4.8m	1	pc
42,0404,0453	Bronze liner 2.7x1.0x40mm	1	pc
42,0404,0192	Bronze inner liner 2,7x1 0,32m	1	pc
42,0100,1370	Connector uni. to liner	1	pc
42,0100,1369	Outlet part to liner MAG02	1	pc
44,0350,3392	Combi liner W Al /0.8/3.8m	1	pc
44,0350,3396	Combi liner W Al /0.8/4.8m	1	pc
44,0350,3393	Combi liner W Al /1.0/3.8m	1	pc
44,0350,3397	Combi liner W Al /1.0/4.8m	1	pc
44,0350,3394	Combi liner W Al /1.2/3.8m	1	pc
44,0350,3398	Combi liner W Al /1.2/4.8m	1	pc
44,0350,3395	Combi liner W Al /1.6/3.8m	1	pc
44,0350,3399	Combi liner W Al /1.6/4.8m	1	pc
44,0350,3616	Combi liner W Al /2.0/3.8m	1	pc

MTW 400d /F++/JM/3.5m/45° (4,035,953,000)

Article no.	Description	Quantity	Unit
44,0350,3617	Combi liner W Al /2.0/4.8m	1	pc
40,0002,0040,015	Steel liner exposed 0.8/15m	1	pc
40,0002,0041,015	Steel liner exposed 1.0 / 15m	1	pc
40,0002,0042,015	Steel liner exposed 1.2/15m	1	pc
40,0002,0043,015	Steel liner exposed 1.6/15m	1	pc
40,0002,0044,015	CrNi liner exposed 0.8/15m	1	pc
40,0002,0045,015	CrNi liner exposed 1.0/15m	1	pc
40,0002,0046,015	CrNi liner exposed 1.2/15m	1	pc
40,0002,0047,015	CrNi liner exposed 1.6/15m	1	pc
40,0002,0052,015	Steel inner liner C 0.8 / 15 m	1	pc
40,0002,0053,015	Steel inner liner C 1.0 / 15 m	1	pc
40,0002,0054,015	Steel inner liner C 1.2 / 15 m	1	pc
40,0002,0055,015	Steel inner liner C 1.6 / 15 m	1	pc
40,0002,0040,005	Steel liner exposed 0.8/5m	1	pc
40,0002,0041,005	Steel liner exposed 1.0/5m	1	pc
40,0002,0042,005	Steel liner exposed 1.2/5m	1	pc
40,0002,0043,005	Steel liner exposed 1.6/5m	1	pc
40,0002,0044,005	CrNi liner exposed 0.8/5m	1	pc
40,0002,0045,005	CrNi liner exposed 1.0/5m	1	pc
40,0002,0046,005	CrNi liner exposed 1.2/5m	1	pc
40,0002,0047,005	CrNi liner exposed 1.6/5m	1	pc
40,0002,0052,005	Steel inner liner C 0.8 / 5 m	1	pc
40,0002,0053,005	Steel inner liner C 1.0 / 5 m	1	pc
40,0002,0054,005	Steel inner liner C 1.2 / 5 m	1	pc
40,0002,0055,005	Steel inner liner C 1.6 / 5 m	1	pc
40,0002,0040,050	Steel liner exposed 0.8/50m	1	pc
40,0002,0041,050	Steel liner exposed 1.0/50m	1	pc
40,0002,0042,050	Steel liner exposed 1.2/50m	1	pc
40,0002,0043,050	Steel liner exposed 1.6/50m	1	pc
40,0002,0044,050	CrNi liner exposed 0.8/50m	1	pc
40,0002,0045,050	CrNi liner exposed 1.0/50m	1	pc
40,0002,0046,050	CrNi liner exposed 1.2/50m	1	pc
40,0002,0047,050	CrNi liner exposed 1.6/50m	1	pc
40,0002,0052,050	Steel inner liner C 0.8 / 50 m	1	pc

MTW 400d /F++/JM/3.5m/45° (4,035,953,000)

Article no.	Description	Quantity	Unit
40,0002,0053,050	Steel inner liner C 1.0 / 50 m	1	pc
40,0002,0054,050	Steel inner liner C 1.2 / 50 m	1	pc
40,0002,0055,050	Steel inner liner C 1.6 / 50 m	1	pc
44,0350,3388	Combi liner W Al /0.8/2.0m	1	pc
44,0350,3389	Combi liner W Al /1.0/2.0m	1	pc
44,0350,3390	Combi liner W Al /1.2/2.0m	1	pc
44,0350,3391	Combi liner W Al /1.6/2.0m	1	pc
44,0350,5550	Combination liner G /0.8/2.0m	1	pc
44,0350,5552	Combination liner G /1.2/2.0m	1	pc
44,0350,5553	Combination liner G /1.6/2.0m	1	pc
44,0350,5522	Combination liner G /2.0/4.8m	1	pc
44,0350,5554	Combination liner G /2.0/2.0m	1	pc
44,0350,3615	Combi liner W Al /2.0/2.0m	1	pc
44,0350,3618	Combi liner G Al /2.0/2.0m	1	pc
44,0350,5551	Combination liner G /1.0/2.0m	1	pc
40,0001,0529,010	Graph. liner 0.8(4.7/1.2) 10m	1	pc
40,0001,0530,010	Graph. liner 1.0(4.7/1.5) 10m	1	pc
40,0001,0531,010	Graph. liner 1.2(4.7/1.8) 10m	1	pc
40,0001,0532,010	Graph. liner 1.6(4.7/2.4) 10m	1	pc
40,0001,0529,100	Graph. liner 0.8(4.7/1.2) 100m	1	pc
40,0001,0531,100	Graph. liner 1.2(4.7/1.8) 100m	1	pc
40,0001,0530,100	Graph. liner 1.0(4.7/1.5) 100m	1	pc
40,0001,0533,100	Graph. liner 2.0(4.7/3.0) 100m	1	pc
40,0001,0532,100	Graph. liner 1.6(4.7/2.4) 100m	1	pc
40,0001,0533,030	Graph. liner 2.0(4.7/3.0) 30m	1	pc
40,0001,0532,030	Graph. liner 1.6(4.7/2.4) 30m	1	pc
40,0001,0531,030	Graph. liner 1.2(4.7/1.8) 30m	1	pc
40,0001,0530,030	Graph. liner 1.0(4.7/1.5) 30m	1	pc
40,0001,0529,030	Graph. liner 0.8(4.7/1.2) 30m	1	pc
40,0001,0533,010	Graph. liner 2.0(4.7/3.0) 10m	1	pc
42,0001,4717	Clamp. nut Euro plastic liner	1	pc
42,0001,4716	Inlet noz. for graph. liner ø5	1	pc
42,0001,4718	Collet Euro plastic liner ø4.7	1	pc
44,0350,3703	Clamping piece 0.8/E	1	pc

MTW 400d /F++/JM/3.5m/45° (4,035,953,000)

Article no.	Description	Quantity	Unit
44,0350,3704	Clamping piece 1.0/E	1	pc
44,0350,3706	Clamping piece 1.6/E	1	pc
44,0350,3705	Clamping piece 1.2/E	1	pc
42,0100,1003	Guide nozzle 1,2	1	pc
42,0100,1120	Guide nozzle ø0,8 gray	1	pc
42,0100,1008	Guide nozzle 1,6	1	pc
42,0100,1119	Guide nozzle ø1,0 Drive	1	pc
42,0400,1024	Clamping nut for nozzle	1	pc
42,0001,3583	Clamping piece cyl. Aø4,7-4,9	1	pc
42,0001,5833	Clamping piece zyl. Aø4,1-4,3	1	pc
42,0001,4512	clamping piece ZYL. AØ4,6-Ø4,8	1	pc
44,0350,3769	Intake nozzle F++/0,8 complete	1	pc
44,0350,3770	Intake nozzle F++/1,0 complete	1	pc
44,0350,3772	Intake nozzle F++/1,6 complete	1	pc
44,0350,3771	Intake nozzle F++/1,2 complete	1	pc
44,0350,5122	BK Fe ø1.6 /G/W/5m	1	pc
44,0350,5121	BK Fe ø1.4 /G/W/5m	1	pc
44,0350,5120	BK Fe ø1.2 /G/W/5m	1	pc
44,0350,5119	BK Fe ø1,0 G/W/5m MTG/MTW Fe	1	pc
44,0350,5118	BK Fe ø0.9 /G/W/5m	1	pc
44,0350,5117	BK Fe ø0.8 /G/W/5m	1	pc
44,0350,5163	BK CrNi ø1.6 /G/W/5m	1	pc
44,0350,5162	BK CrNi ø1.4 /G/W/5m	1	pc
44,0350,5161	BK CrNi ø1,2 G/W/5m MTG/MTW	1	pc
44,0350,5160	BK CrNi ø1,0 G/W/5m MTG/MTW	1	pc
44,0350,5159	BK CrNi ø0.9 /G/W/5m	1	pc
44,0350,5158	BK CrNi ø0.8 /G/W/5m	1	pc
44,0350,5139	BK Al ø1.4 /W/5m	1	pc
44,0350,5136	BK Al ø0.9 /W/5m	1	pc
44,0350,5140	BK Al ø1.6 /W/5m	1	pc
44,0350,5138	BK Al ø1,2 W/5m MTW	1	pc
44,0350,5137	BK Al ø1.0 /W/5m	1	pc
44,0350,5135	BK Al ø0.8 /W/5m	1	pc
44,0350,5148	BK Al ø1.4 /G CuSi ø1.4 G/W/5m	1	pc

MTW 400d /F++/JM/3.5m/45° (4,035,953,000)

Article no.	Description	Quantity	Unit
44,0350,5145	BK Al ø0.9 /G CuSi ø0.9 G/W/5m	1	pc
44,0350,5149	BK Al ø1.6/G CuSi ø1.6 G/W/5m	1	pc
44,0350,5147	BK Al ø1.2 /G CuSi ø1.2 G/W/5m	1	pc
44,0350,5146	BK Al ø1.0 /G CuSi ø1.0 G/W/5m	1	pc
44,0350,5144	BK Al ø0.8 /G CuSi ø0.8 G/W/5m	1	pc
44,0450,1436	Extract. tool CPC+35mm extens.	1	pc
42,0201,3216	Multitool TB wear parts	1	pc
45,0200,0826	Torque wrench union nut BY	1	pc
44,0450,1938	Adjustable spanner	1	pc
42,0411,9040	Torque wrench 4-20Nm	1	pc
40,0009,0044	Grease O-ring	1	pc