


TTW5000A F++/JM/Le/8m


4,035,809

TTW5000A F++/JM/Le/8m (4,035,809)


STANDARD



UP/DOWN




JOBMASTER



44,0350,2176 4m / 13,1ft

44,0350,2177 8m / 26,2ft




xx) Specify the length required

OPTION - Leder / Leather / Cuir


44,0350,2180 4m / 13.1ft

44,0350,2181 8m / 26.2ft



TTW5000A F++/JM/Le/8m (4,035,809)

Part No. clamping nut	Part No. collet	Part No. electrode WC20	Part No. electrode WP	Electrode Ø	
				Ø mm	Ø inch
42,0001,2278	42,0001,2276	42,0411,4001	42,0411,4008	1,6	0,063
42,0001,2279	42,0001,2277	42,0411,4002	42,0411,4005	2,4	0,094
42,0001,2272 x)	42,0001,2268 x)	42,0411,4003 x)	42,0411,4006	3,2	0,126
42,0001,2273	42,0001,2269	42,0411,4013	42,0411,4007	4,0	0,157
42,0001,2274	42,0001,2270	42,0411,4014	42,0411,4009	4,8	0,189
42,0001,2275	42,0001,2271	42,0411,4015		6,4	0,250



gas nozzle ceramic plugable	L1		d1		d2		Part No.
	mm	inch	mm	inch	mm	inch	
	54	2,125	26.2	1,031	7,9	0,3125	42,0300,0707
					9,5	0,375	42,0300,0708
					11,1	0,4375	42,0300,0709 x)
					12,7	0,500	42,0300,0710
					15,9	0,625	42,0300,0711

- x) Standardausrüstung
- x) standard equipment
- x) équipement standard
- x) equipamiento estándar
- x) accessori standard
- x) equipamento de série

TTW5000A F++/JM/Le/8m (4,035,809)

Article no.	Description	Quantity	Unit
34,0350,2118	Torch body TTW5000A	1	pc
42,0407,0245	CLAMP W.INSERT 7,0/ø5,8-7,9	6	pc
42,0405,0548	Sealing cap for plug nipple	1	pc
42,0300,2595	Sealing round lø7,0x2,0 Viton	1	pc
42,0300,2596	Leather hose 25x27x700	1	pc
42,0300,0711	Gas nozzle ceramic ø26/ø16x54	1	pc
42,0300,0709	Gas nozzle ceramic ø26/ø11x54	1	pc
42,0300,0710	Gas nozzle ceramic ø13/ø26x54	1	pc
42,0300,0707	Gas nozzle ceramic ø26/ø8x54	1	pc
42,0300,0708	Gas nozzle ceramic ø9,5/ø26,2x	1	pc
42,0411,4007	Tungsten electrode WP/ø4,0x175	1	pc
42,0411,4005	Tungsten electrode WP/ø2,4x175	1	pc
42,0411,4006	Tungsten electrode WP/ø3,2x175	1	pc
42,0411,4008	Tungsten electrode WP/ø1,6x175	1	pc
42,0411,4009	Tungsten electrode WP/ø4,8x175	1	pc
42,0001,2275	Clamping nut 6,4/ø16x16	1	pc
42,0001,2278	Clamping nut 1,6/ø16x16	1	pc
42,0001,2273	Clamping nut 4,0/ø16x16	1	pc
42,0001,2272	Clamping nut 3,2/ø16x16	1	pc
42,0001,2274	Clamping nut 4,8/ø16x16	1	pc
42,0001,2279	Clamping nut 2,4/ø16x16	1	pc
42,0001,2270	Clamping sleeve 4,8/ø11,5x56	1	pc
42,0001,2271	Clamping sleeve 6,4/ø11,5x56	1	pc
42,0001,2268	Clamping sleeve 3,2/ø11,5x56	1	pc
42,0001,2269	Clamping sleeve 4,0/ø11,5x56	1	pc
42,0001,2277	Clamping sleeve 2,4/ø11,5x56	1	pc
42,0001,2276	Clamping sleeve 1,6/ø11,5x56	1	pc
42,0411,4014	Tungsten electr. WC20/ø4,8x175	1	pc
42,0411,4015	Tungsten electr. WC20/ø6,4x175	1	pc
42,0411,4003	Tungsten electr. WC20/ø3,2x175	1	pc
42,0411,4013	Tungsten electr. WC20/ø4,0x175	1	pc
42,0411,4002	Tungsten electr. WC20/ø2,4x175	1	pc
42,0411,4001	Tungsten electr. WC20/ø1,6x175	1	pc
44,0350,1153	Torch cap short L21	1	pc

TTW5000A F++/JM/Le/8m (4,035,809)

Article no.	Description	Quantity	Unit
44,0350,1154	Torch cap long L100	1	pc